

## CLASSIC 1 group



---

### Ref602645 (UCLASSIC1UL)

Traditional Espresso Machine

- 1 Group
- No Steam - Hot Water - Inox Steam
- Inox
- 110 V 1N 60~Hz 1,7kW
- UL/NSF Certified

### General Features

The Classic is the perfect traditional espresso machine to guarantee top-quality espresso and consistency even in busy periods.

With elegant lines and reliable technologies appreciated by coffee professionals, the Classic is made even more attractive by its quality/price ratio. The Classic is available in 1, 2 or 3 group configurations.

# CLASSIC 1 group

## Main Features

- Maestro brew group: directly to boiler group heads are mounted for shot temperature stability.
- Large cup warming capacity: integrated cup warmer on the top of the machines.
- 4 programmable volume keys per group + Semi-automatic key for each group for manual control.
- Automatic cleaning program.
- The CLASSIC Elegant lines and reliable technologies appreciated by coffee professionals, the CLASSIC model is made more attractive by its quality/ price ratio. The CLASSIC is the perfect traditional espresso machine to ensure an excellent quality espresso result, and consistency even during the busiest periods of the day.
- Heavy duty components and welded construction, a direct mounted boiler group head for thermal stability and reliable extraction, easy access to components for uncomplicated servicability, and unlimited steam.

## Construction

- Built-in cup warmer.

## Included Accessories

## Optional Accessories

- KIT OF RAISED 3" FEET

PNC 871041

**UNIC**

# CLASSIC 1 group

## Electric

**Supply voltage:** 110 V/1 ph/60 Hz

**Electrical power, max:** 1.7 kW

**Plug type:** Cable without plug

## Water:

**Cold water temperature (min/max):** 5 / 60 °C

## Key Information:

**External dimensions, Height:** 22 13/16" (580 mm)

**External dimensions, Weight:** 90 lbs (41 kg)

**Net weight:** 90 lbs (41 kg)

**Shipping width:** 19 11/16" (500 mm)

**Shipping depth:** 29 1/2" (750 mm)

**Shipping height:** 33 1/16" (840 mm)

**Shipping weight:** 112 lbs (51 kg)

**Shipping volume:** 0.3 m<sup>3</sup>

## Certifications



The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2026.02.11

Part of



Electrolux  
Professional  
Group

**UNIC**

