

CLASSIC PLUS 2 groups, Tall cup



Ref602978 (UCLASSIC2HPUL)

Traditional Espresso Machine

- 2 Groups
- Long Teflon Steam - Long Hot Water - Long teflon Steam
- Inox
- 220 V 1N 60~Hz 4,3kW
- UL/NSF Certified

General Features

The Classic is the perfect traditional espresso machine to guarantee top-quality espresso and consistency even in busy periods.

With elegant lines and reliable technologies appreciated by coffee professionals, the Classic is made even more attractive by its quality/price ratio. The Classic is available in 1, 2 or 3 group configurations.

CLASSIC PLUS 2 groups, Tall cup

Main Features

- Maestro brew group: directly to boiler group heads are mounted for shot temperature stability.
- Large cup warming capacity: integrated cup warmer on the top of the machines.
- 4 programmable volume keys per group + Semi-automatic key for each group for manual control.
- Automatic cleaning program.
- Heavy duty components and welded construction, a direct mounted boiler group head for thermal stability and reliable extraction, easy access to components for uncomplicated servicing, and unlimited steam.
- The tall cup configuration allows the barista to easily prepare large size drinks according to the larger cup clearance available.
- Programmable steam and hot water.
- Manual Steamglide lever.

Construction

- Built-in cup warmer.

CLASSIC PLUS 2 groups, Tall cup

Electric

Supply voltage: 220 V/1 ph/60 Hz
 Electrical power, max: 4.3 kW
 Plug type: Cable without plug

Water:

Cold water temperature (min/max): 5 / 60 °C

Key Information:

External dimensions, Height: 25 9/16" (650 mm)
 External dimensions, Weight: 143 lbs (65 kg)
 Net weight: 143 lbs (65 kg)
 Shipping width: 43 5/16" (1100 mm)
 Shipping depth: 29 1/2" (750 mm)
 Shipping height: 33 1/16" (840 mm)
 Shipping weight: 181 lbs (82 kg)
 Shipping volume: 0.7 m³


Certifications



The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2026.04.04

Part of  Electrolux Professional Group



UNIC