

TANGO XP Duo 22P, Steamair, mat dark grey color, NSF UL



Ref604519 (UTANGOXP22PS8)

Two-groups super automatic espresso machine, 2 grinders, 1-step milk based beverages preparation with milk pump system for cold and hot milk and foam recipes, Steamair, able to deliver 4 drinks simultaneously, together with hot water and steam production. Mat dark grey color.

General Features

The TANGO XP Duo is a high-performing 2-groups super automatic coffee machine, able to deliver 4 drinks simultaneously. It is dedicated to coffee professionals who place premium coffee extraction at the top of their expectations. UNIC long-term heritage and expertise in espresso technology performs in the legendary reliable patented TANGO® brew group technology, achieving replicable and high-quality results in the cup. The TANGO XP Duo offers a user-friendly 10" digital screen interface with a clear intuitive menu engaging the operator in a full experience on coffee and milk parameters settings. Its serviceable design, featuring a flipped screen and a removable coffee drawer eases access to direct maintenance on the grinding and brewing units.

The elegant shape together with cutting-edge technologies combine in the new generation TANGO XP that offers a full new experience. TANGO XP 's sleek lines blend painted aluminum side panels, stainless steel cup storage tray, large accessible and visible coffee beans hoppers and height-adjustable coffee spouts. The design is also driven by functionality and cares for details that make usability easier: drip tray, waste coffee drawer and coffee spouts are fully removable to ease cleaning.

Designed for performance, and for offering the opportunity to experience more, the TANGO XP line is truly the most distinctive line of super automatic machine of the market that drives for long-term customer satisfaction and loyalty.

TANGO XP Duo 22P, Steamair, mat dark grey color, NSF UL

Main Features

- 2 groups full-automatic machine.
- Two high precision grinders with 83mm flat burrs
- Two coffee bean hoppers 1kg/2.2lb capacity each
- TANGO® patented brewing group with two independent pistons
- Exclusive Pump System for Cold & Hot Milk with foam pump technology.
- Large coffee cups tray
- User friendly 10 inches touch screen user interface
- Intuitive programming of all parameters included grinder calibration, tamping, pre-infusion, coffee weight, volumes
- Auto cleaning program.
- Independent steam and coffee boilers 1.8L capacity
- Height adjustable and dismountable coffee spout, 82 to 200mm/3" to 7.5" cup clearance
- Ergonomic waste coffee drawer, easy to remove and to clean
- Steamair milk auto-frother programmable outlet.
- Programmable water and steam with independent touch command
- Ergonomic drip tray, easy to remove and to clean
- Delivery capacity:

Espresso 40ml: 440 cups/h

Lungo 100ml: 300 cups/h

Hot Water: 30 L/h

Construction

- Aluminum painted flat side panels (customized color on request)
- Tritan beans hopper
- Full metal brewing unit

Included Accessories

- 1 of KIT OF RAISED 3" FEET PNC 871041

TANGO XP Duo 22P, Steamair, mat dark grey color, NSF UL

Electric

Supply voltage:

604519
(UTANGOXP22PS8) 208-240 V/1 ph/60 Hz

Electrical power, max: 5.2 kW

Current consumption 22 Amps

Plug type: NEMA L6-30P

Water:

Cold water temperature
(min/max): 5 / 60 °C

Key Information:

External dimensions,
Width: 19 3/8" (492 mm)

External dimensions,
Depth: 25 5/16" (643 mm)

External dimensions,
Height: 31 7/8" (810 mm)

Net weight: 218 lbs (99 kg)

Shipping width: 43 5/16" (1100 mm)

Shipping depth: 29 1/2" (750 mm)

Shipping height: 33 1/16" (840 mm)

Shipping weight: 256 lbs (116 kg)


Certifications



The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2024.07.23

Part of  Electrolux
Professional
Group



UNIC