

## Classic 1 group, RL technology



---

**Ref: 602636**  
**(CLASSIC1RL)**

Traditional Espresso Machine, 1 group, 6.3 Liter boiler, specific RL technology for high brewing temperature-sensitive coffees or blends, 4 programmable dosing keys, manual Steam & water, automatic cleaning cycle, Stainless steel body

### General Features

Traditional 1 group espresso machine with large steam boiler and heat exchanger featuring specific RL technology for high brewing temperature-sensitive coffees or blends. Elegant lines and reliable technologies appreciated by coffee professionals, the CLASSIC model is attractive by its quality/price ratio. Designed for rugged commercial application, the CLASSIC model is the perfect traditional espresso machine to ensure an excellent quality espresso result, consistency and high performance during rush period.

## Classic 1 group, RL technology

### Main Features

- The CLASSIC Elegant lines and reliable technologies appreciated by coffee professionals, the CLASSIC model is made more attractive by its quality/ price ratio. The CLASSIC is the perfect traditional espresso machine to ensure an excellent quality espresso result, and consistency even during the busiest periods of the day.
- Heavy duty components and welded construction, a direct mounted boiler group head for thermal stability and reliable extraction, easy access to components for uncomplicated servicability, and unlimited steam.
- Maestro brew group: directly to boiler group heads are mounted for shot temperature stability.
- Large cup warming capacity: integrated cup warmer on the top of the machines.
- 4 programmable volume keys per group + Semi-automatic key for each group for manual control.
- Automatic cleaning program.

### Construction

- Built-in cup warmer.

### Included Accessories

- |                                   |            |
|-----------------------------------|------------|
| • 1 of Filter holder for one cup  | PNC 871002 |
| • 1 of Filter holder for two cups | PNC 871003 |

### Optional Accessories

- |                                    |            |                          |
|------------------------------------|------------|--------------------------|
| • Filter holder for one cup        | PNC 871002 | <input type="checkbox"/> |
| • Filter holder for two cups       | PNC 871003 | <input type="checkbox"/> |
| • Filter holder for three cups     | PNC 871004 | <input type="checkbox"/> |
| • Filter for one cup, 12 gr        | PNC 871017 | <input type="checkbox"/> |
| • Filter for two cups, 18 gr       | PNC 871018 | <input type="checkbox"/> |
| • Stainless steel knock box drawer | PNC 871019 | <input type="checkbox"/> |

## Classic 1 group, RL technology

## Electric

**Supply voltage:**

602636 (CLASSIC1RL) 230 V/1N ph/50 Hz

**Electrical power max.:** 3 kW

**Plug type:** Cable without plug

## Water:

### Cold water temperature

**Cold water temperature**  
(min/max): 5 / 60 °C

### Key Information:

### External dimensions,

**Width:** 343 mm

### External dimensions,

**Depth:** 568 mm

### External dimensions,

**Height:** 580 mm

**Net weight:** 41 kg

**Shipping volume:** 0.32 m<sup>3</sup>

## Sustainability


**Current consumption:** 13 Amps



The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2024.08.14

Part of

Electrolux  
Professional  
Group

# UNIC