

Pony 2, for 2 coffee ESE pods



Ref: 602592
(UPONY2POD)

Professional espresso coffee POD machine, 1 group for 2 pods/cups, 6,3 liter boiler, 6 programmable dosing keys / group, manual water & steam

General Features

The PONY ESPRESSO POD is a very practical and effective solution for professionals who choose single-serve E.S.E. coffee POD to make espresso drinks. Coffee extraction quality and volume results are consistent through the days, weeks and months of operation on all selected drink sizes and quantities. The insertion of pods is very easy from the front top by the cup warmer, and the used pods are collected into a practicable and removable drawer. Drinks can be selected on the touch control box equipped with up to 6 programmable dosing selection, and with the possibility to make 1 or 2 espressos at a time per group. With its hot water and steam outlets, and a large boiler capacity, the PONY ESPRESSO POD has a truly professional application.

Pony 2, for 2 coffee ESE pods

Main Features

- Professional espresso coffee POD machine.
- Coffee extraction quality and volume results are consistent through the days, weeks and months of operation on all selected drink sizes and quantities.
- The insertion of pods is very easy from the front top by the cup warmer, and the used pods are collected into a practicable and removable drawer.
- Drinks can be selected on the touch control box equipped with up to 6 programmable dosing selection, and with the possibility to make 1 or 2 espressos at a time per group.
- 1 group for 2 pods/cups.
- 2 programmable dosing program.
- Automatic cleaning cycle.

Construction

- Stainless steel body.
- 6.3 liter boiler.
- Removable used pods drawer.
- Adjustable cup holder.

Optional Accessories

- Cappuccinatore/foamer device with two positions for hot milk and for foam only for machines without Steamair PNC 871011
- Cappuccino system/auto foam device by air injection for traditional machines only for machines without Steamair PNC 871012
- Teflon steam wand only for machines without Steamair PNC 871013
- Side milk refrigerator 8 liter nominal capacity for up to 4 liter milk containers PNC 871014
- Side milk refrigerator 8 liter nominal capacity for up to 4 liter milk containers with digital display PNC 871015

Pony 2, for 2 coffee ESE pods

Electric

Supply voltage:

602592
(UPONY2POD) 230 V/1N ph/50 Hz

Electrical power max.: 3 kW

Plug type: Cable without plug

Water:

Cold water temperature
(min/max): 5 / 60 °C

Key Information:

External dimensions,
Width: 343 mm

External dimensions,
Depth: 570 mm


External dimensions,
Height: 580 mm

Net weight: 47 kg

Shipping volume: 0.32 m³

Sustainability

Current consumption: 13 Amps



Certifications



The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2024.04.09

Part of  Electrolux
Professional
Group

UNIC