TANGO ACE MT, Cappuccinatore device



Ref: 602622 (UTANGOACEMTLC)

Super Automatic Espresso Machine

- · 1 Group
- · 1 Grinder
- · Cappuccinator Teflon Steam Mitigated Hot Water
- · 380-415V 3N 50/60~Hz
- · CE/CB Certified
- · Shiny Black

General Features

The Tango® Ace impresses its users with an exceptional result in every cup, and the quality of its equipment makes it a highly reliable choice for demanding professional use.

The Tango® Ace fitted with a 7 inches touchscreen, offers a 48 drinks menu, all customizable. Milk-based drinks can be easily prepared with the Cappuccinator device or the Steamair milk auto-frother to process fresh milk into specialty coffee drinks as cappuccino, latte, mocha...



TANGO ACE MT, Cappuccinatore device

Main Features

- 1 group full-automatic machine.
- 6.5 liter steam/coffee boiler.
- Auto cleaning program.
- Programmable water and steam.
- Tango Cappuccinatore device with double feature L: for hot milk and C: for foam by air injection.
- The 48 hot drinks menu, for breakfast or gourmet coffee breaks along the day, is fully programmable through the 7" touch screen interface.
- The super automatic multi-products Tango® ACE MT fully takes advantage of the exceptional extraction quality that has established the reputation of the TANGO® range, and the ability to work with powdered products such as cocoa.
- To fulfill this entire drinks menu, the Tango® ACE MT can be fitted with the Cappuccinatore device to process fresh milk, into specialty coffee drinks as cappuccinos, lattes, mochas...
- Delivery Capacity:

Espresso 40ml: 220 cups/h Lungo 100ml: 150 cups/h

Hot chocolate 250ml: 110 cups/h Cappuccino 100ml: 170 cups/h

Latte 100ml: 150 cups/h

Latte macchiato 300ml: 80 cups/h

Hot Water: 30 L/h

Construction

• 1 x 1,7 kg coffee hopper & grinders + (0,8 at 1,5) kg hopper for powder.

Optional Accessories

- Side milk refrigerator 8 liter nominal capacity for up to 4 liter milk containers
- Side milk refrigerator 8 liter nominal PNC 871015 capacity for up to 4 liter milk containers with digital display

- TANGO hotel/breakfast service kit PNC 871022
- Coffee ground direct discharge chute PNC 871023 🔲



TANGO ACE MT, Cappuccinatore device

Electric

Supply voltage: 400 V/3N ph/50 Hz

Electrical power, max: 5.2 kW

Plug type: Cable without plug

Water:

Cold water temperature

5/60°C (min/max):

Key Information:

Net weight: 91 kg Shipping volume: 0.69 m³

Sustainability

Current consumption: 7.5 Amps

Certifications







The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2025.06.28





