

### Standard Preparation 1200 mm Cupboard Sink for Dishwasher with 1 Bowl & Left Drainer

ITEM #		
MODEL #		
NAME #		
SIS #		
AIA #		
AIA #		



132929 (MARMSXN)

Cupboard with 1 bowl and 1 left hand drainer, 1200mm

# **Short Form Specification**

#### Item No.

Made entirely from stainless steel. Inner welded frame in stainless steel. Unique connection of panels to inner frame. The 50mm high worktop in 304 AISI stainless steel, 1mm in thickness, incorporates a layer of sound deadening material and has upturned edges. Upstand (h=100mm) with 8mm rounded edge. Drainage area suitable for drying operations. Additional space under drainer for undercounter dishwasher. Sound-deadened hinged door. Base panel in 304 AISI stainless steel and height-adjustable intermediate shelf. Sink bowl in 304 AISI stainless steel with overflow pipe and drain hole. Mounted on feet, adjustable in height.

#### **Main Features**

Sturdiness, stability and reliability of table accurately tested.

#### Construction

- Inner welded frame in stainless steel to guarantee superior strength and stability.
- 50 mm worktop in 304 AISI stainless steel with upturned edges, incorporates an 18 mm layer of sound deadening material.
- Reinforced side and base panel in 304 AISI stainless steel.
- 304 AISI stainless steel feet, 200 mm high and 54 mm in diameter, adjustable by -50/+30 mm.
- Drainage area suitable for drying operations
- 100 mm upstand with 10 mm radioused corner and 13 mm deep, designed to be used against a wall.
- Constructed entirely in stainless steel to offer maximum durability.
- Bottom part of drain left free to house an undercounter dishwasher.
- Hinged door with sound deadening internal panels, fitted with 304 AISI stainless steel hinges on the inner sides.
- Wide range of taps are available to suit every need.

## **Optional Accessories**

with short pre-rinse unit

• Wheel kit for cupboards, 4 wheels (2 with brakes), D=1000 mm	PNC 855299	
• Elbow operated mixer tap with spout, 3/4" single hole	PNC 855322	
• Elbow operated mixer tap short spout, 3/4" single hole	PNC 855323	
<ul> <li>Foot operated Mixer tap with spout &amp; with hot&amp;cold pedals, 3/4"</li> </ul>	PNC 855328	
• Elbow operated mixer tap with spout, 3/4" single hole	PNC 855374	
<ul> <li>Elbow operated mixer tap with short spout, 3/4" single hole</li> </ul>	PNC 855375	
<ul> <li>Single hole deck mounted mixing temperature monoblock faucet</li> </ul>	PNC 855382	
Single hole deck mounted extra robust pot filling mixing temperature faucet	PNC 855383	
<ul> <li>Single hole deck mounted mixing temperature faucet with short spout</li> </ul>	PNC 855384	
<ul> <li>Single hole deck mounted mixing temperature pre-rinse unit</li> </ul>	PNC 855385	
<ul> <li>Single hole deck mounted elbow operated mixing temperature faucet with pre-rinse unit</li> </ul>	PNC 855386	
Single hole deck mounted riser add-on mixing temperature faucet with pre- rinse unit	PNC 855387	
<ul> <li>Single hole deck mounted elbow operated mixing temperature faucet</li> </ul>	PNC 855388	

APPROVAL:




# Standard Preparation 1200 mm Cupboard Sink for Dishwasher with 1 Bowl & Left Drainer

•	Single hole deck mounted riser add-on mixing temperature faucet with pre-rinse unit	PNC 855389	
•	Single hole deck mounted mixing temperature faucet with pre-rinse unit	PNC 855390	
•	Single plastic drain syphon 2" for sinks	PNC 895313	





### Standard Preparation 1200 mm Cupboard Sink for Dishwasher with 1 Bowl & Left Drainer



### **Drain:**

**Drainer position:** Left

# **Key Information:**

Cabinet width: 1145 mm Cabinet depth: 645 mm Cabinet height: 385 mm **External dimensions, Width:** 1200 mm External dimensions, Depth: 700 mm **External dimensions, Height:** 1000 mm **Upstand Dimensions, Height:** 100 mm **Upstand Dimensions, Depth:** 13 mm **Upstand Dimensions, Radius:** R=10 **Bowls number** 

Bowl dimensions400x500xH300Number and type of doors:1 HingedWorktop thickness:50 mmNet weight:55 kg

