


Modular Cooking Range Line EV0900 8-Burner Gas Range on 2 Gas Oven



ITEM # **MODEL #** NAME # SIS # AIA

Main Features

• Control knobs provide smooth, continuous rotation from min to max power level.

Construction

• Pan supports in stainless steel.

APPROVAL:





Included Accessories

• 2 of GN2/1 chrome grid for static oven PNC 164250


| | 110 104230 | |
|--|------------|--|
| Optional Accessories | | |
| • GN2/1 chrome grid for static oven | PNC 164250 | |
| Junction sealing kit | PNC 206086 | |
| • 4 wheels, 2 swivelling with brake (EV0700/900). It is mandatory to install with base supports for feet/wheels. | PNC 206135 | |
| Flanged feet kit | PNC 206136 | |
| Frontal kicking strip for concrete installation, 1600 mm | PNC 206152 | |
| Pair of side kicking strips for concrete installation | PNC 206157 | |
| Side handrail for right/left hand | PNC 206165 | |
| • Single burner radiant plate for pan support | PNC 206170 | |
| Single burner smooth plate for direct cooking - fits frontal burners only | PNC 206171 | |
| Single burner ribbed plate for direct cooking - fits frontal burners only | PNC 206172 | |
| Frontal kicking strip, 1600 mm | PNC 206179 | |
| Pair of side kicking strips | PNC 206180 | |
| 2 panels for service duct (single installation) | PNC 206181 | |
| Frontal handrail 1600 mm | PNC 206192 | |
| 2 panels for service duct (back to back installation) | PNC 206202 | |
| Pair of cast iron grids for gas ranges and boiling tops | PNC 206208 | |
| • 4 feet for concrete installation (not for 900 line freestanding grill) | PNC 206210 | |
| Water column with swivel arm (water column extension not included) | PNC 206289 | |
| Water column extension | PNC 206290 | |
| Stainless steel grid for 2 burners | PNC 206298 | |
| 2 side covering panels, height 700 mm, depth 900 mm | PNC 206335 | |
| Wok pan support for open burners (EV0700/900) | PNC 206363 | |
| Base support for feet or wheels - 1600mm (EV0700/900) | PNC 206369 | |
| Base support for feet or wheels - 2000mm (EV0700/900) | PNC 206370 | |
| Kit town gas nozzles (G150) for EV0900 gas ranges on gas oven | PNC 206385 | |
| Chimney grid net, 400mm | PNC 206400 | |
| Pressure regulator for gas units | PNC 927225 | |



The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.



Modular Cooking Range Line EVO900 8-Burner Gas Range on 2 Gas Oven




Gas

| Gas Power: | 73 kW |
|------------------------|--------------------------|
| Standard gas delivery: | Natural Gas G20 (20mbar) |
| Gas Type Option: | LPG;Natural Gas |
| Gas Inlet: | 1/2" |

Key Information:

| 120 °C MIN; 280 °C MAX |
|------------------------|
| 575 mm |
| 300 mm |
| 700 mm |
| 300 kg |
| 350 kg |
| 1030 mm |
| 1780 mm |
| 1020 mm |
| 1.87 m³ |
| 6 - 6 kW |
| 10 - 10 kW |
| 6 - 6/6 - 6 kW |
| N9CG |
| Ø100 Ø100 |
| Ø60 Ø60 |
| Ø60 Ø60 Ø60 Ø60 |
| |

If appliance is set up or next to or against temperature sensitive furniture or similar, a safety gap of approximately 150 mm should be maintained or some form of heat insulation fitted.



Modular Cooking Range Line EVO900 8-Burner Gas Range on 2 Gas Oven

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.