



Electrolux

Electrolux Professional Refrigeration



Range Overview

ecostore^{HP} Premium Refrigerated Counters

Index

Refrigerated Counters - 2 compartments with top	6
Refrigerated Counters - 2 compartments - with top and splashback	7
Refrigerated Counters - 2 compartments - no top	8
Refrigerated Counters - 3 compartments with top	9
Refrigerated Counters - 3 compartments - with top and splashback	11
Refrigerated Counters - 3 compartments - no top	12
Refrigerated Counters - 4 compartments with top	13
Refrigerated Counters - 4 compartments - with top and splashback	14
Refrigerated Counters - 4 compartments - no top	15
Refrigerated Counters - 2 compartments - Remote Unit with top	16
Refrigerated Counters - 3 compartments - Remote Unit with top	17
Refrigerated Counters - 4 compartments - Remote Unit with top	18
Freezer Counters - 2 compartments with top	20
Freezer Counters - 2 compartments - with top and splashback	20
Freezer Counters - 2 compartments - no top	21
Freezer Counters - 3 compartments with top	21
Freezer Counters - 3 compartments - with top and splashback	22
Freezer Counters - 3 compartments - no top	22
Freezer Counters - 2 compartments - Remote Unit with top	23
Freezer Counters - 3 compartments - Remote Unit with top	23
Refrigerated Counters - 2 compartments - Saladette with top	25
Refrigerated Counters - 3 compartments - Saladette with top	25


ecostore^{HP} Premium extraA quality

Every detail of ecostore^{HP} Premium is designed to increase performance.



extraA food safety with Optiflow

Food stays fresher for longer with **OptiFlow** smart air circulation and **climate class 5** means outstanding performance even in the hottest, heaviest duty kitchens.




Easy installation

ecostore^{HP} Premium perform consistently and are easy to install. They also save space because there is no need to leave clearance space around them. They need frontal ventilation only thanks to the Tower Configuration of the cooling unit.



extraA savings with class A
Energy efficiency class A makes a real difference to your energy bill. **Energy savings* of up to 480 €/year** ensure a fast return on your investment. Ask your Electrolux expert to calculate how much your business can save.




900
working top height - mm

* Potential energy saving based on EU legislation labelling obtained by comparing class G refrigerated counters with equivalent in class A (with EU average energy cost of 0,21 €/kWh and net volume of 310 l).

** Compared to equivalent 3-door refrigerated counters on the market

ecostore^{HP} Premium line



extra capacity

Store more food. 50 extra liters** of net volume means 20% more storage than comparable counters.



+ 50
liters



extra customization

With countless custom options, Electrolux can give you the counter you need. Ask an Electrolux Partner to create your ideal solution.



extra design

Show your kitchen off! The **ergonomic design** of ecostore^{HP} Premium looks great and is easy to install whether free-standing or built-in to the sleek Electrolux Professional static preparation.



extra sustainable

Higher performance and a clear-conscience, ecostore^{HP} Premium use R290, a less aggressive and more eco-friendly alternative to traditional gas refrigerants.

ecostore^{HP} Premium Refrigerated Counters

2 compartments

Refrigerated Counters - 2 compartments with top



710001

	710001	710006	710010	710014	710018	710022
Temperature - °C	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10
Net volume - lt.	198	178	178	178	178	178
External dim. - mm						
width	1341	1341	1341	1341	1341	1341
depth	700	700	700	700	700	700
height	900	900	900	900	900	900
Electric power - kW	0,25	0,25	0,25	0,25	0,25	0,25
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr	2	1	1	1		
Drawers - nr		2x1/2	3x1/3	1x1/3 + 1x2/3	4x1/2	6x1/3
Refrigerant type	R290	R290	R290	R290	R290	R290
Plug	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko
Wheels						
Cool unit on the right						
Certifications	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB
European energy label class	A	B	B	B	B	C
Climate class	5	5	5	5	5	5

Refrigerated Counters - 2 compartments with top



710004

	710004	710103	710105	710106	710108	710110
Temperature - °C	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10
Net volume - lt.	198	198	198	178	178	178
External dim. - mm						
width	1341	1341	1341	1341	1341	1341
depth	700	700	700	700	700	700
height	900	900	900	900	900	900
Electric power - kW	0,25	0,25	0,25	0,25	0,25	0,25
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr	2	2	2	1		
Drawers - nr				2x1/2	4x1/2	6x1/3
Refrigerant type	R290	R290	R290	R290	R290	R290
Plug	Schuko	UK	UK	UK	UK	UK
Wheels		•	•	•	•	•
Cool unit on the right	•		•			
Certifications	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB
European energy label class	A	A	A	B	B	C
Climate class	5	5	5	5	5	5

ecostore^{HP} Premium Refrigerated Counters

2 compartments

Refrigerated Counters - 2 compartments - with top and splashback



710002

	710002	710007	710011	710015	710019	710023
Temperature - °C	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10
Net volume - lt.	198	178	178	178	178	178
External dim. - mm						
width	1341	1341	1341	1341	1341	1341
depth	700	700	700	700	700	700
height	900	900	900	900	900	900
Height with splashback - mm	1000	1000	1000	1000	1000	1000
Electric power - kW	0,25	0,25	0,25	0,25	0,25	0,25
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr	2	1	1	1		
Drawers - nr		2x1/2	3x1/3	1x1/3 + 1x2/3	4x1/2	6x1/3
Refrigerant type	R290	R290	R290	R290	R290	R290
Plug	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko
Wheels						
Cool unit on the right						
Certifications	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB
European energy label class	A	B	B	B	B	C
Climate class	5	5	5	5	5	5

Refrigerated Counters - 2 compartments - with top and splashback



710104

	710104	710107	710109	710111
Temperature - °C	-2 / +10	-2 / +10	-2 / +10	-2 / +10
Net volume - lt.	198	178	178	178
External dim. - mm				
width	1341	1341	1341	1341
depth	700	700	700	700
height	900	900	900	900
Height with splashback - mm	1000	1000	1000	1000
Electric power - kW	0,25	0,25	0,25	0,25
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr	2	1		
Drawers - nr		2x1/2	4x1/2	6x1/3
Refrigerant type	R290	R290	R290	R290
Plug	UK	UK	UK	UK
Wheels	•	•	•	•
Cool unit on the right				
Certifications	CE, CB	CE, CB	CE, CB	CE, CB
European energy label class	A	B	B	B
Climate class	5	5	5	5

ecostore^{HP} Premium Refrigerated Counters

2 compartments

Refrigerated Counters - 2 compartments - no top



710000

	710000	710005	710009	710013	710017	710021
Temperature - °C	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10
Net volume - lt	198	178	178	178	178	178
External dim. - mm						
width	1341	1341	1341	1341	1341	1341
depth	700	700	700	700	700	700
height	850	850	850	850	850	850
Electric power - kW	0,25	0,25	0,25	0,25	0,25	0,25
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr	2	1	1	1		
Drawers - nr		2x1/2	3x1/3	1x1/3 + 1x2/3	4x1/2	6x1/3
Refrigerant type	R290	R290	R290	R290	R290	R290
Plug	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko
Wheels						
Cool unit on the right						
Certifications	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB
European energy label class	A	B	B	B	B	C
Climate class	5	5	5	5	5	5

ecostore^{HP} Premium Refrigerated Counters

3 compartments

Refrigerated Counters - 3 compartments with top



710028

	710028	710033	710037	710041	710045	710049
Temperature - °C	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10
Net volume - lt.	310	266	266	266	266	266
External dim. - mm						
width	1795	1795	1795	1795	1795	1795
depth	700	700	700	700	700	700
height	900	900	900	900	900	900
Electric power - kW	0,25	0,25	0,25	0,25	0,25	0,25
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr	3	2	2	2	1	1
Drawers - nr		2x1/2	3x1/3	1x1/3 + 1x2/3	4x1/2	6x1/3
Refrigerant type	R290	R290	R290	R290	R290	R290
Plug	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko
Wheels						
Cool unit on the right						
Certifications	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB
European energy label class	A	B	B	B	B	C
Climate class	5	5	5	5	5	5

Refrigerated Counters - 3 compartments with top



710053

	710053	710057	710031	710112	710114	710115
Temperature - °C	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10
Net volume - lt.	266	266	310	310	310	266
External dim. - mm						
width	1795	1795	1795	1795	1795	1795
depth	700	700	700	700	700	700
height	900	900	900	900	900	900
Electric power - kW	0,25	0,25	0,25	0,25	0,25	0,25
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr			3	3	3	2
Drawers - nr	6x1/2	9x1/3				2x1/2
Refrigerant type	R290	R290	R290	R290	R290	R290
Plug	Schuko	Schuko	Schuko	UK	UK	Schuko
Wheels				•	•	
Cool unit on the right			•		•	
Certifications	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB
European energy label class	C	C	A	A	A	B
Climate class	5	5	5	5	5	5

ecostore^{HP} Premium Refrigerated Counters

3 compartments

Refrigerated Counters - 3 compartments with top



710117

	710117	710119
Temperature - °C	-2 / +10	-2 / +10
Net volume - lt.	266	266
External dim. - mm		
width	1795	1795
depth	700	700
height	900	900
Electric power - kW	0,25	0,25
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr		
Drawers - nr	6x1/2	9x1/3
Refrigerant type	R290	R290
Plug	UK	UK
Wheels		
Cool unit on the right		
Certifications	CE, CB	CE, CB
European energy label class	C	C
Climate class	5	5

ecostore^{HP} Premium Refrigerated Counters

3 compartments

Refrigerated Counters - 3 compartments - with top and splashback



710029

	710029	710034	710038	710042	710046	710050
Temperature - °C	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10
Net volume - lt.	310	266	266	266	266	266
External dim. - mm						
width	1795	1795	1795	1795	1795	1795
depth	700	700	700	700	700	700
height	900	900	900	900	900	900
Height with splashback - mm	1000	1000	1000	1000	1000	1000
Electric power - kW	0,25	0,25	0,25	0,25	0,25	0,25
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr	3	2	2	2	1	1
Drawers - nr		2x1/2	3x1/3	1x1/3 + 1x2/3	4x1/2	6x1/3
Refrigerant type	R290	R290	R290	R290	R290	R290
Plug	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko
Wheels						
Cool unit on the right						
Certifications	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB
European energy label class	A	B	B	B	B	C
Climate class	5	5	5	5	5	5

Refrigerated Counters - 3 compartments - with top and splashback



710054

	710054	710058	710113	710116	710118	710120
Temperature - °C	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10
Net volume - lt.	266	266	310	266	266	266
External dim. - mm						
width	1795	1795	1795	1795	1795	1795
depth	700	700	700	700	700	700
height	900	900	900	900	900	900
Height with splashback - mm	1000	1000	1000	1000	1000	1000
Electric power - kW	0,25	0,25	0,25	0,25	0,25	0,25
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr			3	2		
Drawers - nr	6x1/2	9x1/3		2x1/2	6x1/2	9x1/3
Refrigerant type	R290	R290	R290	R290	R290	R290
Plug	Schuko	Schuko	UK	UK	UK	UK
Wheels			•	•	•	•
Cool unit on the right						
Certifications	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB
European energy label class	C	C	A	B	C	C
Climate class	5	5	5	5	5	5

ecostore^{HP} Premium Refrigerated Counters

3 compartments

Refrigerated Counters - 3 compartments - no top



710027

	710027	710032	710036	710040	710044	710048
Temperature - °C	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10
Net volume - lt	310	266	266	266	266	266
External dim. - mm						
width	1795	1795	1795	1795	1795	1795
depth	700	700	700	700	700	700
height	850	850	850	850	850	850
Electric power - kW	0,25	0,25	0,25	0,25	0,25	0,25
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr	3	2	2	2	1	1
Drawers - nr		2x1/2	3x1/3	1x1/3 + 1x2/3	4x1/2	6x1/3
Refrigerant type	R290	R290	R290	R290	R290	R290
Plug	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko
Wheels						
Cool unit on the right						
Certifications	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB
European energy label class	A	B	B	B	B	C
Climate class	5	5	5	5	5	5

Refrigerated Counters - 3 compartments - no top



710052

	710052	710056
Temperature - °C	-2 / +10	-2 / +10
Net volume - lt	266	266
External dim. - mm		
width	1795	1795
depth	700	700
height	850	850
Electric power - kW	0,25	0,25
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr		
Drawers - nr	6x1/2	9x1/3
Refrigerant type	R290	R290
Plug	Schuko	Schuko
Wheels		
Cool unit on the right		
Certifications	CE, CB	CE, CB
European energy label class	C	C
Climate class	5	5

ecostore^{HP} Premium Refrigerated Counters

4 compartments

Refrigerated Counters - 4 compartments with top



710062

	710062	710067	710071	710075	710079	710082
Temperature - °C	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10
Net volume - lt	423	355	355	355	355	355
External dim. - mm						
width	2249	2249	2249	2249	2249	2249
depth	700	700	700	700	700	700
height	900	900	900	900	900	900
Electric power - kW	0,25	0,25	0,25	0,25	0,25	0,25
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr	4	3	3	3	2	2
Drawers - nr		2x1/2	3x1/3	1x1/3 + 1x2/3	4x1/2	6x1/3
Refrigerant type	R290	R290	R290	R290	R290	R290
Plug	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko
Wheels						
Cool unit on the right						
Certifications	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB
European energy label class	B	B	B	B	B	C
Climate class	5	5	5	5	5	5

Refrigerated Counters - 4 compartments with top



710086

	710086	710090	710065	710121	710123	710124
Temperature - °C	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10
Net volume - lt	355	355	423	423	423	355
External dim. - mm						
width	2249	2249	2249	2249	2249	2249
depth	700	700	700	700	700	700
height	900	900	900	900	900	900
Electric power - kW	0,25	0,25	0,25	0,25	0,25	0,25
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr			4	4	4	
Drawers - nr	8x1/2	12x1/3				8x1/2
Refrigerant type	R290	R290	R290	R290	R290	R290
Plug	Schuko	Schuko	Schuko	UK	UK	UK
Wheels				•	•	•
Cool unit on the right			•		•	
Certifications	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB
European energy label class	C	C	B	B	B	C
Climate class	5	5	5	5	5	5

ecostore^{HP} Premium Refrigerated Counters

4 compartments

Refrigerated Counters - 4 compartments - with top and splashback



710063

	710063	710068	710072	710076	710271	710083
Temperature - °C	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10
Net volume - lt.	423	355	355	355	355	355
External dim. - mm						
width	2249	2249	2249	2249	2249	2249
depth	700	700	700	700	700	700
height	900	900	900	900	900	900
Height with splashback - mm	1000	1000	1000	1000	1000	1000
Electric power - kW	0,25	0,25	0,25	0,25	0,25	0,25
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr	4	3	3	3	2	2
Drawers - nr		2x1/2	3x1/3	1x1/3 + 1x2/3	4x1/2	6x1/3
Refrigerant type	R290	R290	R290	R290	R290	R290
Plug	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko
Wheels						
Certifications	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB
European energy label class	B	B	B	B	B	C
Climate class	5	5	5	5	5	5

Refrigerated Counters - 4 compartments - with top and splashback



710087

	710087	710091	710122	710125	710127
Temperature - °C	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10
Net volume - lt.	355	355	423	355	355
External dim. - mm					
width	2249	2249	2249	2249	2249
depth	700	700	700	700	700
height	900	900	900	900	900
Height with splashback - mm	1000	1000	1000	1000	1000
Electric power - kW	0,25	0,25	0,25	0,25	0,25
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr			4		
Drawers - nr	8x1/2	12x1/3		8x1/2	12x1/3
Refrigerant type	R290	R290	R290	R290	R290
Plug	Schuko	Schuko	UK	UK	UK
Wheels			•	•	•
Certifications	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB
European energy label class	C	C	B	C	C
Climate class	5	5	5	5	5

ecostore^{HP} Premium Refrigerated Counters

4 compartments

Refrigerated Counters - 4 compartments - no top



710061

	710061	710066	710070	710074	710078	710081
Temperature - °C	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10
Net volume - lt.	423	355	355	355	355	355
External dim. - mm						
width	2249	2249	2249	2249	2249	2249
depth	700	700	700	700	700	700
height	850	850	850	850	850	850
Electric power - kW	0,25	0,25	0,25	0,25	0,25	0,25
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr	4	3	3	3	2	2
Drawers - nr		2x1/2	3x1/3	1x1/3 + 1x2/3	4x1/2	6x1/3
Refrigerant type	R290	R290	R290	R290	R290	R290
Plug	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko
Wheels						
Cool unit on the right						
Certifications	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB
European energy label class	B	B	B	B	B	C
Climate class	5	5	5	5	5	5

Refrigerated Counters - 4 compartments - no top



710085

	710085	710089
Temperature - °C	-2 / +10	-2 / +10
Net volume - lt.	355	355
External dim. - mm		
width	2249	2249
depth	700	700
height	850	850
Electric power - kW	0,25	0,25
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr		
Drawers - nr	8x1/2	12x1/3
Refrigerant type	R290	R290
Plug	Schuko	Schuko
Wheels		
Cool unit on the right		
Certifications	CE, CB	CE, CB
European energy label class	C	C
Climate class	5	5

ecostore^{HP} Premium Refrigerated Counters

2 compartments - remote unit

Refrigerated Counters - 2 compartments - Remote Unit with top



710003

	710003	710008	710012	710016	710020	710024
Temperature - °C	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10
Net volume - lt	198	178	178	178	178	178
External dim. - mm						
width	1193	1193	1193	1193	1193	1193
depth	700	700	700	700	700	700
height	900	900	900	900	900	900
Electric power - kW	0,22	0,22	0,22	0,22	0,22	0,22
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr	2	1	1	1		
Drawers - nr		2x1/2	3x1/3	1x1/3 + 1x2/3	4x1/2	6x1/3
Refrigerant type	R134a	R134a	R134a	R134a	R134a	R134a
Plug	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko
Wheels						
Cool unit on the right						
Certifications	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB
European energy label class						
Climate class	5	5	5	5	5	5

Refrigerated Counters - 2 compartments - Remote Unit with top



710135

	710135	710272
Temperature - °C	-2 / +10	-2 / +10
Net volume - lt	178	178
External dim. - mm		
width	1193	1193
depth	700	700
height	900	900
Electric power - kW	0,22	0,22
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr		
Drawers - nr	4x1/2	6x1/3
Refrigerant type	R134a	R134a
Plug		
Wheels		
Cool unit on the right		
Certifications	CE, CB	CE, CB
European energy label class		
Climate class	5	5

ecostore^{HP} Premium Refrigerated Counters

3 compartments - remote unit

Refrigerated Counters - 3 compartments - Remote Unit with top



710030

	710030	710035	710039	710043	710047	710051
Temperature - °C	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10
Net volume - lt.	310	266	266	266	266	266
External dim. - mm						
width	1647	1647	1647	1647	1647	1647
depth	700	700	700	700	700	700
height	900	900	900	900	900	900
Electric power - kW	0,22	0,22	0,22	0,22	0,22	0,22
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr	3	2	2	2	1	1
Drawers - nr		2x1/2	3x1/3	1x1/3 + 1x2/3	4x1/2	6x1/3
Refrigerant type	R134a	R134a	R134a	R134a	R134a	R134a
Plug						
Wheels						
Cool unit on the right						
Certifications	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB
European energy label class						
Climate class	5	5	5	5	5	5

Refrigerated Counters - 3 compartments - Remote Unit with top



710055

	710055	710059	710146	710150
Temperature - °C	-2 / +10	-2 / +10	-2 / +10	-2 / +10
Net volume - lt.	266	266	266	266
External dim. - mm				
width	1647	1647	1647	1647
depth	700	700	700	700
height	900	900	900	900
Electric power - kW	0,22	0,22	0,22	0,22
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr				
Drawers - nr	6x1/2	9x1/3	6x1/2	9x1/3
Refrigerant type	R134a	R134a	R134a	R134a
Plug				
Wheels				
Cool unit on the right				
Certifications	CE, CB	CE, CB	CE, CB	CE, CB
European energy label class				
Climate class	5	5	5	5

ecostore^{HP} Premium Refrigerated Counters

4 compartments - remote unit

Refrigerated Counters - 4 compartments - Remote Unit with top



710064

	710064	710069	710073	710077	710080	710084
Temperature - °C	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10
Net volume - lt	423	355	355	355	355	355
External dim. - mm						
width	2101	2101	2101	2101	2101	2101
depth	700	700	700	700	700	700
height	900	900	900	900	900	900
Electric power - kW	0,22	0,22	0,22	0,22	0,22	0,22
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr	4	3	3	3	2	2
Drawers - nr		2x1/2	3x1/3	1x1/3 + 1x2/3	4x1/2	6x1/3
Refrigerant type	R134a	R134a	R134a	R134a	R134a	R134a
Plug	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko
Wheels						
Cool unit on the right						
Certifications	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB
European energy label class						
Climate class	5	5	5	5	5	5

Refrigerated Counters - 4 compartments - Remote Unit with top



710088

	710088	710092
Temperature - °C	-2 / +10	-2 / +10
Net volume - lt	355	355
External dim. - mm		
width	2101	2101
depth	700	700
height	900	900
Electric power - kW	0,22	0,22
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr		
Drawers - nr	8x1/2	12x1/3
Refrigerant type	R134a	R134a
Plug	Schuko	Schuko
Wheels		
Cool unit on the right		
Certifications	CE, CB	CE, CB
European energy label class		
Climate class	5	5

ecostore^{HP} Premium. Create your own solution! refrigerated counter









Built-in units
with top



Remote units
with top



Factory fitted optional customization (additional charges)

<p>Drawers</p>	 2 drawers 2x ½	 3 drawers 3x ⅓	 bottle drawer 1x ⅓ + 1x ⅔	 <p>Lock / Compartment</p> <p>*Optional lock mandatory on each compartment</p>
 <p>No top units built-in and remote</p> <p>2 compartments 3 compartments 4 compartments</p>	 <p>Top with splashback units built-in and remote</p> <p>2 compartments 3 compartments 4 compartments</p>	 <p>Wheels*</p> <p>2 compartments 3 compartments 4 compartments</p> <p>*Not applicable with remote unit</p>		
<p>Cooling unit on right</p>		<p>Remote with special gas</p>		

ecostore^{HP} Premium Freezer Counters

2 compartments

Freezer Counters - 2 compartments with top



710094

	710094	710097	710128
Temperature - °C	-22 / -15	-22 / -15	-22 / -15
Net volume - lt.	198	198	198
External dim. - mm			
width	1341	1341	1341
depth	700	700	700
height	900	900	900
Electric power - kW	0,45	0,45	0,45
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr	2	2	2
Drawers - nr			
Refrigerant type	R290	R290	R290
Plug	Schuko	Schuko	UK
Wheels			•
Cool unit on the right		•	
Certifications	CE, CB	CE, CB	CE, CB
European energy label class	C	C	C
Climate class	5	5	5

Freezer Counters - 2 compartments - with top and splashback



710095

	710095	710129
Temperature - °C	-22 / -15	-22 / -15
Net volume - lt.	198	198
External dim. - mm		
width	1341	1341
depth	700	700
height	900	900
Height with splashback - mm	1000	1000
Electric power - kW	0,45	0,45
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr	2	2
Drawers - nr		
Refrigerant type	R290	R290
Plug	Schuko	UK
Wheels		•
Cool unit on the right		
Certifications	CE, CB	CE, CB
European energy label class	C	C
Climate class	5	5

ecostore^{HP} Premium Freezer Counters

2 compartments

Freezer Counters - 2 compartments - no top



710093

	710093
Temperature - °C	-22 / -15
Net volume - lt	198
External dim. - mm	
width	1341
depth	700
height	850
Electric power - kW	0,45
Electrical connection	220-240 V 1N 50Hz
Doors - nr	2
Drawers - nr	
Refrigerant type	R290
Plug	Schuko
Wheels	
Cool unit on the right	
Certifications	CE, CB
European energy label class	C
Climate class	5

Freezer Counters - 3 compartments with top



710099

	710099	710102	710130
Temperature - °C	-22 / -15	-22 / -15	-22 / -15
Net volume - lt	310	310	310
External dim. - mm			
width	1795	1795	1795
depth	700	700	700
height	900	900	900
Electric power - kW	0,45	0,45	0,45
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr	3	3	3
Drawers - nr			
Refrigerant type	R290	R290	R290
Plug	Schuko	Schuko	UK
Wheels			•
Cool unit on the right		•	
Certifications	CE, CB	CE, CB	CE, CB
European energy label class	D	D	D
Climate class	5	5	5

ecostore^{HP} Premium Freezer Counters

3 compartments

Freezer Counters - 3 compartments - with top and splashback



710100

	710100	710131
Temperature - °C	-22 / -15	-22 / -15
Net volume - lt.	310	310
External dim. - mm		
width	1795	1795
depth	700	700
height	900	900
Height with splashback - mm	1000	1000
Electric power - kW	0,45	0,45
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr	3	3
Drawers - nr		
Refrigerant type	R290	R290
Plug	Schuko	UK
Wheels		•
Cool unit on the right		
Certifications	CE, CB	CE, CB
European energy label class	D	D
Climate class	5	5

Freezer Counters - 3 compartments - no top



710098

	710098
Temperature - °C	-22 / -15
Net volume - lt.	310
External dim. - mm	
width	1795
depth	700
height	850
Electric power - kW	0,45
Electrical connection	220-240 V 1N 50Hz
Doors - nr	3
Drawers - nr	
Refrigerant type	R290
Plug	Schuko
Wheels	
Cool unit on the right	
Certifications	CE, CB
European energy label class	D
Climate class	5

ecostore^{HP} Premium Freezer Counters

3 compartments - remote unit

Freezer Counters - 2 compartments - Remote Unit with top



710096

	710096
Temperature - °C	-22 / -15
Net volume - lt.	198
External dim. - mm	
width	1193
depth	700
height	900
Electric power - kW	0,45
Electrical connection	220-240 V 1N 50Hz
Doors - nr	2
Drawers - nr	
Refrigerant type	R290
Plug	Schuko
Wheels	
Cool unit on the right	
Certifications	CE, CB
European energy label class	
Climate class	5

Freezer Counters - 3 compartments - Remote Unit with top



710101

	710101
Temperature - °C	-22 / -15
Net volume - lt.	310
External dim. - mm	
width	1647
depth	700
height	900
Electric power - kW	0,45
Electrical connection	220-240 V 1N 50Hz
Doors - nr	3
Drawers - nr	
Refrigerant type	R290
Plug	Schuko
Wheels	
Cool unit on the right	
Certifications	CE, CB
European energy label class	
Climate class	5

ecostore^{HP} Premium. Create your own solution! freezer counter

Built-in units
with top



Remote units
with top



Optional customization (additional charges)

Drawers



2 drawers
2x ½



3 drawers
3x ½



bottle drawer
1x½ + 1x¾



Lock / Compartment

*Optional lock mandatory on each compartment



No top units
built-in and remote

2 compartments
3 compartments
4 compartments



Top with splashback units
built-in and remote

2 compartments
3 compartments
4 compartments



Wheels*

2 compartments
3 compartments
4 compartments

*Not applicable with remote unit

Cooling unit
on right



Remote
with special gas

ecostore^{HP} Premium Refrigerated Counters

3 compartments - remote unit

Refrigerated Counters - 2 compartments - Saladette with top



710025

	710025
Temperature - °C	-2 / +10
Net volume - lt	198
External dim. - mm	
width	1341
depth	700
height	900
Electric power - kW	0,25
Electrical connection	220-240 V 1N 50Hz
Doors - nr	2
Drawers - nr	
Refrigerant type	R290
Plug	
Wheels	
Cool unit on the right	
Certifications	CE, CB
European energy label class	
Climate class	4

Refrigerated Counters - 3 compartments - Saladette with top



710060

	710060
Temperature - °C	-2 / +10
Net volume - lt	310
External dim. - mm	
width	1647
depth	700
height	900
Electric power - kW	0,25
Electrical connection	220-240 V 1N 50Hz
Doors - nr	3
Drawers - nr	
Refrigerant type	R290
Plug	
Wheels	
Cool unit on the right	
Certifications	CE, CB
European energy label class	
Climate class	4

Notes




A series of horizontal dotted lines for writing notes.

Notes

A series of horizontal dotted lines for writing notes.



Experience the Excellence
professional.electrolux.com

Follow us on    

Excellence with the environment in mind

- ▶ All our factories are ISO 14001-certified
- ▶ All our solutions are designed for low consumption of water, energy, detergents and harmful emissions
- ▶ In recent years over 70% of our product features have been updated with the environmental needs of our customers in mind
- ▶ Our technology is ROHS and REACH compliant and over 95% recyclable
- ▶ Our products are 100% quality tested by experts

