EVOPRO

700 & 900 ACCESSORIES

ZANUSSI PROFESSIONAL

INDEX

ACCESSORIES FOR SPECIFIC FUNCTIONS 4

Accessories for gas ranges 4
Accessories for gas boiling top 6
Accessories for electric ranges 6
Accessories for induction ranges 7
Accessories for oven ranges 8
Accessories for fry tops 9
Accessories for grills 11
Accessories for multifunctional cookers 14
Accessories for fryers 15
Accessories for pasta cookers 20
Accessories for bain maries 26
Accessories for braising pans 26
Accessories for boiling pans 27
Accessories for cupboards and open bases 29
Accessories for refrigerated bases 31

ACCESSORIES FOR INSTALLATION 32

Covering panels 32
Handrails 33
Chimney upstands 34
Junction sealing kit 34
Stands / supports 35
Salamander support 35
Pot rack 36
Stainless steel plinths 37
Cover panels for service duct 38
Installation on 100 mm concrete plinth 39
Support for bridge installation 40
Cantilever supports 41
Wheels and flanged feet 43
Water columns 44

ACCESSORIES FOR GAS RANGES

206264

206170

BURNER RADIANT PLATES

RANGE	700	900
PNC	206264	206170
Plate		only for 6kW burners
Material	cast iron	

- Solid top mode for gas burners and simple service

ACCESSORIES FOR GAS RANGES

206363

WOK SUPPORT

RANGE	700 and 900
PNC	206363
Material	stainless steel

- Wok pan support for open burners
- Except for 3-burner top 392024

206297
206298



TWIN-BURNER STAINLESS STEEL GRIDS

RANGE	700	900
PNC	206297	206298
Material	stainless steel	

- Pans support for gas burners

ACCESSORIES FOR GAS BOILING TOP

206283

GROUND SUPPORT FOR 3-BURNER GAS BOILING TOP (392024)

RANGE	900
PNC	206283
Material	stainless steel

- Lets the 3-burner top 392024 be used like a stockpot

ACCESSORIES FOR ELECTRIC RANGES

206168
206056

CAST IRON BARS

RANGE	700	900
PNC	206168	206056
Material	cast iron	

- 2 cast iron bars to obtain 2 wider flat cooking zones
- 700 line for hot square plates only

ACCESSORIES FOR INDUCTION RANGES

911000

911003

INDUCTION WOK PANS DESIGN IN LINE WITH WOK CUVETTE

RANGE	700 and 900	
PNC	**911000**	**911003**
Material	stainless steel	non-stick
Handle	stainless steel	stainless steel
Diameter	360 mm	360 mm
Height	100 mm	100 mm

921026

PEAK MANAGMENT FOR FREE-ZONE INDUCTION COOKERS

RANGE	900
PNC	**921026**

- To enable peak management the accessory must be connected to each generator. Order 1 piece for half module and 2 pieces for full module

ACCESSORIES FOR OVEN RANGES

164250



CHROME GRID

RANGE	700 and 900
PNC	**164250**
Oven	for static oven
Size	2/1 GN
Material	chrome

- 1 piece is included in standard delivery

206204

CHROME GRIDS

RANGE	900
PNC	**206204**
Oven	for large oven
Size	972x687 mm
Material	chrome

- For codes 392015 and 392016; 1 piece is included in standard delivery

ACCESSORIES FOR FRY TOPS

164255

206420

SCRAPERS

RANGE	700 and 900	
PNC	164255	206420
Use on	smooth plate	ribbed plate

- 1 or 2 pieces, according to the surface type, is included in the standard delivery for the 700 and 900 line chrome plated models

206346



GREASE CONTAINER

RANGE	700 and 900
PNC	206346

- Includes containers, guides, stainless steel drain pipe to convey the grease/oil from the fry top cooking surface to the container and front closing panel
- To be used with top, cupboard and open base

ACCESSORIES FOR FRY TOPS

206296

STOPPER

RANGE	700	900
PNC	206453	206296
Material	stainless steel	

- Stopper for fry top with horizontal plate – used to keep the grease released by the food on the frying plate (also suitable for sloped plate)
- Except for HP version

206153

216153

206345

WATER DRAINS

RANGE	900		
PNC	206153	216153	206345
Appliance width	400 mm	800 mm	1200 mm

206455

CLOCHE

RANGE	700 and 900
PNC	206455
Material	stainless steel

ACCESSORIES FOR GRILLS

206408



GRIDS FOR FREESTANDING GAS GRILLS

RANGE	700		900	
PNC	206414	206410	206408	206404
Appliance width	400 mm	800 mm	400 mm	800 mm
Material	stainless steel			

- Grills are equipped with cast-iron grids with drainage channels as standard

206415

GRIDS WITH DRAIN CHANNELS FOR FREESTANDING GRILLS

RANGE	700		900	
PNC	206415	206411	206409	206405
Appliance width	400 mm	800 mm	400 mm	800 mm
Material	stainless steel			

- Grills are equipped with cast-iron grids with drainage channels as standard

206415

206418

GRIDS WITH DRAIN CHANNELS FOR TOP STANDARD GRILLS

RANGE	700		
PNC	206415	206416	206418*
Appliance width	400 mm	800 mm	400 mm
Material	stainless steel		
Note	grid	grid	support

- Standard grills are equipped with cast-iron grids with drainage channels as standard
- *Applied to the splashguard as a support to adjust the inclination of the grid. Order 2 pieces for 800 mm unit
- All Grills HP (non-standard), equipped as standard delivery with enameled cast iron grids for gas models and AISI 441 stainless steel grids for electric models, are NOT compatible with these accessories

ACCESSORIES FOR GRILLS

206422

SCRAPERS FOR STANDARD AND HP GRILLS

RANGE	700 and 900			
PNC	**206421**	**206422**	**206347**	**206436**
Grid type	stainless steel with drain channels*	cast iron	cast iron	steel
Appliance type	standard	standard	HP gas	HP electric
Included		•		•
Note	scraper	scraper	scraper with hook	scraper

*Note: this accessory refers to stainless steel grids (available as an optional accessory for standard grills)

206437



DRAIN EXTENSION FOR HP ELECTRIC GRILLS

RANGE	700 and 900
PNC	**206437**
Material	stainless steel
Note	to be used with 206257 (700 line) or 206145 (900 line)

- To be used as an alternative to standard drain together with a GN container to be ordered separately
- Water container capacity should be:
  - 4,5 l for 1/2 module (700 line)
  - 8,8 l for 1 module (700 line)
  - 12,7 l for 1+1/2 module (700 line)
  - 6,7 l for 1/2 module (900 line)
  - 13 l for 1 module (900 line)
  - 20 l for 1/2 module (900 line)

ACCESSORIES FOR GRILLS

206280

WATER FILLING TAPS

RANGE	700 and 900	
PNC	206280	206281
Appliance width	400 mm	800 mm

- For gas and electric freestanding grills

206434

HEAT DEFLECTORS

RANGE	700	900
PNC	206434	206435
Appliance typology	Electric HP grill	Electric HP grill

- Delivered as standard with Electric HP grills

921024

COOKING GRIDS

RANGE	700	900
PNC	921024	921025
Appliance typology	Electric HP grill	Electric HP grill

- Delivered as standard with Electric HP grills

ACCESSORIES FOR MULTIFUNCTIONAL COOKERS

921689

921690

LIDS

RANGE	700 and 900	
PNC	921689	921690
Appliance width	400 mm	800 mm

- For gas and electric multifunctional cookers

164255

921694

SCRAPERS

RANGE	700 and 900	
PNC	164255	921694
Note	scraper	blades with rounded corners

- Included in standard delivery

ACCESSORIES FOR FRYERS

960638

921608

921629

200953

921604

921605

BASKETS FOR GAS AND ELECTRIC FRYERS

RANGE	700		
PNC	960638	921608	921629
Quantity	2	1	1
Size	half	full	full
Appliance typology	2x5 and 12 l	7 l	12 l

- 960638 and 921629 are included in standard delivery

BASKETS FOR ELECTRIC OPTIOIL FRYERS

RANGE	700		
PNC	200953	921028	921029
Quantity	2	1	2
Size	half	full	half
Appliance typology	2x5 l	10 l	2x10 l

- 200953 and 921028 are included in standard delivery

921691

921692

206196

BASKETS FOR GAS AND ELECTRIC FRYERS

RANGE	700 and 900		
PNC	921691	921692	206196
Quantity	1	2	1
Size	full	half	full
Included	1	1 for programmable	
Appliance typology	14 and 15 l standard	14 and 15 l standard & programmable	15 l programmable

- 206196, full size basket for programmable fryers, includes a dedicated support to be connected to the left lifter

ACCESSORIES FOR FRYERS

927223

927226

206511

BASKETS FOR GAS AND ELECTRIC FRYERS

RANGE	900				
PNC	927223	927226	927200	927201	206511
Quantity	2	1	2	1	1
Size	half	full	half	full	full
Appliance typology	15 l OptiOil, 18, 23 l	15 l OptiOil, 18 , 23 l	18 l	18 l	23 l progr.
	standard		with a front hook*		

- 927223 is included in standard delivery
- 206511, full size basket for programmable fryers, includes a dedicated support to be connected to the left lifter
- * Can be used to block baskets on the top for oil dripping

206235

921023

SEDIMENT TRAYS

RANGE	700 and 900	900
PNC	206235	921023
Appliance typology	15 l	23 l

- For freestanding V-shape fryers

921695

927227

UNCLOGGING RODS

RANGE	700 and 900	900
PNC	921695	927227
Appliance typology	15 l	23 l

- For drain pipe of freestanding V-shape fryers

ACCESSORIES FOR FRYERS

921693

200086

OIL FILTER FOR FREESTANDING FRYERS

RANGE	700 and 900	900
PNC	921693	200086
Appliance typology	7, 2x7, 14, 2x14, 15 and 2x15 l	18, 23 l
Material	stainless steel	

- 921693 is not suitable for 15 l electronic models

200954

OIL FILTER FOR OPTIOIL FRYERS

RANGE	700 and 900
PNC	200954
Appliance typology	2x5, 10 and 15 l
Material	stainless steel

200029
200088

200954

200085

ADVANCED FILTRATION - OPTIOIL FRYERS

RANGE	700	900	700 and 900	
PNC	200029	200088	200954*	200085
Appliance typology	2x5, 10 and 2x10 l	15 and 2x15 l	2x5, 10 and 15 l	2x5, 10 and 15 l
Material	stainless steel			paper
Included	•	•	•	-

- * Kit for paper filter: mandatory for using paper filter

ACCESSORIES FOR FRYERS

200086

200084
200085

ADVANCED FILTRATION SYSTEM

RANGE	900		
PNC	200086	200084*	200085
Appliance typology	23 l with oil recirculation pump		
Material	stainless steel	stainless steel	paper
Included FOR 23 l	•	-	-

- * Kit for paper filter: mandatory for using paper filter

206209
206301



EXTENSION FOR OIL DRAINAGE

RANGE	700 and 900	900
PNC	206301	206209
Appliance typology	15 l	23 l

- Compulsory when the fryer is installed on plinth

200087

EXTENSION WITH PUMP FOR OIL DRAINAGE

RANGE	900
PNC	200087
Material	Highly resistant elastomer with stainless steel extremities
Appliance typology	23 l with oil recirculation pump and OptiOil

ACCESSORIES FOR FRYERS

921696

960645

DEFLECTORS

RANGE	700 and 900	900
PNC	921696	960645
Appliance typology	15 l	23 l

- For floured products for freestanding V-shape fryers
- The deflector is lying on the inclined part of the well, in order to avoid the bread or flour released by the products to lie there and get burned.

206201

HYGIENIC LID FOR FRYERS

RANGE	900
PNC	206201
Appliance typology	23 l

- Standard lid included on all 700 & 900 fryers.

200171

LID FOR OIL CONTAINER

RANGE	900
PNC	200171
Appliance typology	23 l

ACCESSORIES FOR PASTA COOKERS

921611

921610

BASKETS

RANGE	700	
PNC	921611	921610
Quantity	1	2
Size	350x220 mm	170x220 mm
Appliance typology	24.5 and 24.5+24.5 l	24.5 and 24.5+24.5 l

- Baskets are not included as standard; only exception is programmable pasta cooker with automatic lifting (code 372100)

921619

BASKETS

RANGE	700
PNC	921619
Quantity	2
Size	105x350 mm
Appliance typology	24.5 and 24.5+24.5 l

- Baskets are not included as standard; only exception is programmable pasta cooker with automatic lifting (code 372100)

206381

BASKET SUPPORT FOR PASTA COOKER

RANGE	700
PNC	206381
Quantity	1
Size	290x85 mm
Appliance typology	24.5 and 24.5+24.5 l

- To be used with 921619

ACCESSORIES FOR PASTA COOKERS

921020

921021

921022

BASKETS AND SUPPORT FOR BASKETS

RANGE	700		
PNC	**921020**	**921021**	**921022**
Quantity	2	2	1
Max nr. of baskets per well	4	6	-
Size	105x160 mm	105x105 mm	230x350 mm
Appliance typology	24.5 and 24.5+24.5 l	24.5 and 24.5+24.5 l	24.5 and 24.5+24.5 l
Note	baskets	baskets	support h 60 mm

- Baskets are not included as standard; only exception is programmable pasta cooker with automatic lifting (code 372100)
- Support is mandatory

ACCESSORIES FOR AUTOMATIC PASTA COOKERS

206312

206314

206362

BASKETS FOR AUTOMATIC PASTA COOKER

RANGE	700		
PNC	**206312**	**206314**	**206362**
Quantity	2	2	1
Size	115x163 mm	105x350 mm	350x230 mm
Appliance typology	automatic pasta cooker		
Note	baskets	baskets	support h 147 mm

- Support is recommended

ACCESSORIES FOR PASTA COOKERS

206433

206237

BASKETS

RANGE	900	
PNC	206433	206237
Quantity	2	1
Max nr. of baskets per well	6	2
Size	130x130 mm 6 fit in a 40 l well	135x310 mm 2 fit in a 40 l well
Appliance typology	40 and 40+40 l	40 and 40+40 l

- Code 206238 compulsory for: 206433 and 206237

206233

206238

BASKETS AND SUPPORT FOR BASKETS

RANGE	900	
PNC	206233	206238
Quantity	1+2	1
Size	1x 1/3 GN + 2x135x310 mm	295x505 mm
Appliance typology	40 and 40+40 l	40 and 40+40 l
Note	baskets	support

- Code 206238 compulsory for: 206233

927216

927211

927210

BASKETS

RANGE	900		
PNC	927216	927211	927210
Quantity	1	2	3
Size	1/1 GN	1/2 GN	1/3 GN
Appliance typology	40 and 40+40 l	40 and 40+40 l	40 and 40+40 l

ACCESSORIES FOR PASTA COOKERS

927212

927213

ROUND BASKETS

RANGE	900	
PNC	927212	927213
Quantity	3	6
Size	Ø 181 mm	Ø 145 mm
Appliance typology	40 and 40+40 l	40 and 40+40 l

927219

960644

SUPPORTS FOR 40 L PASTA COOKERS

RANGE	900	
PNC	927219	960644
Size	290x500x115 mm	330x535x10 mm
Note	grid support for round baskets (compulsory for 927212 and 927213)	support frame to hold 6 round baskets (alternative to 927219)

ACCESSORIES FOR PASTA COOKERS

921607

206190

LIDS AND LID HOLDER

RANGE	700	900
PNC	921607	206190
Appliance typology	24.5 l and 24.5 + 24.5 l	40 l and 40 + 40 l
Note	lid	lid and lid holder

206344



ENERGY SAVING DEVICE

RANGE	700 and 900
PNC	206344
Note	1 per well needed

- Used to preheat fresh water to refill the well, thus saving energy

ACCESSORIES FOR PASTA COOKERS

206354

2 Lifting arms

Push-buttons for manual use or cooking cycle start

User interface (9 programs storable)



PROGRAMMABLE BASKET LIFTING UNIT

RANGE	700
PNC	206354
Dimension	200 mm wide

AVAILABLE BASKETS

921610 - 2 baskets 170x220 mm
see page 20

921020 - 2 baskets 156x172 mm
see page 21

206396 - frame/support for 2 single portion baskets for 921020

206355

3 Lifting arms

Push-buttons for manual use or cooking cycle start

User interface (9 programs storable)



PROGRAMMABLE BASKET LIFTING UNIT

RANGE	900
PNC	206355
Dimension	200 mm wide

AVAILABLE BASKETS

927210 - 3 X 1/3GN baskets
see page 22

206433 - 2 basket 130x130 mm
see page 22

206395 - frame/support for 2 single portion baskets for 206433

ACCESSORIES FOR BAIN MARIES

921622

DRILLED FALSE BOTTOMS

RANGE	700	
PNC	921622	921623
Appliance width	400 mm	800 mm

- False bottom included for 900 line bain-marie.

921627

WATER FILLING TAP

RANGE	700 and 900
PNC	921627
Material	stainless steel

- Flush installation of GN container in proximity of the tap in the bain-marie is not possible. To maintain full GN compatability with a water filling tap, it is suggested to install a work top with water column next to the bain-marie

ACCESSORIES FOR BRAISING AND BOILING PANS

922403

TROLLEY WITH LIFTING AND REMOVABLE TANK

RANGE	700 and 900
PNC	922403
Material	stainless steel

ACCESSORIES FOR BOILING PANS

921626

BASKET

RANGE	700 and 900
PNC	921626
Appliance typology	60 l
Note	1-section basket

- To make your boiling pan work as a pasta cooker!

925018

BASKET

RANGE	900
PNC	925018
Appliance typology	100 l
Note	2-section universal basket

- To make your boiling pan work as a pasta cooker!

925019

BASKET

RANGE	900
PNC	925019
Appliance typology	150 l
Note	2-section universal basket

- To make your boiling pan work as a pasta cooker!

ACCESSORIES FOR BOILING PANS

206279

AUTOMATIC DEPRESSURIZATION KIT

RANGE	900
PNC	206279
Appliance typology	100 and 150 l

- For indirect heating boiling pans (double jacketed)
- If not installed: depressurization of the double-jacket must be done manually

927222

WATER ADDITIVE AGAINST CORROSION

RANGE	700 and 900
PNC	927222
Appliance typology	100 and 150 l indirect heating

- For indirect heating boiling pans
- 1 container of water additive against corrosion is already included in the standard appliances delivery

927001

MEASURING RODS

RANGE	900		
PNC	927000	927001	927002
Appliance typology	60 l	100 l	150 l

ACCESSORIES FOR CUPBOARDS AND OPEN BASES

206342

DOOR FOR OPEN BASE

RANGE	700 and 900
PNC	206342

- Same for left and right-side door

206259

ELECTRIC HEATING KIT FOR CUPBOARD

RANGE	700 and 900
PNC	206259
Size	360x510x60 mm
Electric conn.	230V 1ph 50/60 Hz
Power	0.65 kW

- To be fixed on the bottom of the base
- The base has to be with doors and can not be used as holding cabinet for food
- Only in combination with gas cookers and ambient worktops

206245

CENTRAL SUPPORT

RANGE	700 and 900
PNC	206245
Note	central support for installation of drawers and grids (on 800/1200 mm bases) and of doors (on 1200 mm bases)

- Needed for installation of drawers and grid runners (1 piece for 800 mm)
- Needed for installation of drawers and grid runners (2 pieces for 1200 mm) or only doors (1 piece for 1200 mm)

ACCESSORIES FOR CUPBOARDS AND OPEN BASES

206244

SUPPORTS WITH SIDE RUNNERS

RANGE	700		900
PNC	206257	206244	206145
Note	2 supports with side runners for 4 GN 1/1 containers for open base 371112, 37111, 371114, 371263, 371264 and 371265	2 supports with side runners for 4 GN 1/1 containers for cupboards	2 supports with side runners for 4 GN 1/1 containers for open base or cupboards

206360

DRAWERS

RANGE	700	900
PNC	206360	206361
Quantity	2	2
Height	100 mm	100 mm

ACCESSORIES FOR REFRIGERATED BASES

206348

DRAWERS

RANGE	700
PNC	206348
Quantity	2

Note: only for versions with drawers. Guides are included.

INSTALLATION ACCESSORIES
COVERING PANELS

206319
206335

206320
206321

206373

AESTHETICAL SIDE COVERING PANELS

RANGE	700	900
PNC	206319	206335
Appliance typology	freestanding 700 mm high	freestanding 700 mm high
PNC	206320	206321
Appliance typology	top 250 mm high	top 250 mm high

- The code includes 2 side covering panels

REAR COVERING PANELS

RANGE	700 and 900			
PNC	206373	206374	206375	206376
Size	600 mm	800 mm	1000 mm	1200 mm

- For island installation to cover the back of the appliances

INSTALLATION ACCESSORIES
HANDRAILS

206167



FRONT HANDRAILS 50 MM DEPTH

RANGE	700 and 900			
PNC	206166	206167	206191	206192
Size	400 mm	800 mm	1200 mm	1600 mm

206308

BACK HANDRAILS 50MM DEPTH

RANGE	700 and 900	
PNC	206308	206309
Size	800 mm	1200 mm

- To be used for island installation

206240



SIDE HANDRAILS 50 MM DEPTH

RANGE	700	900
PNC	206240	206165
Note	2 pieces: right and left side	2 pieces: right and left side

206185

PORTIONING SHELVES 140 MM DEPTH

RANGE	700 and 900	
PNC	206185	206186
Size	400 mm	800 mm

Note: cannot be mounted to 700 line induction and infrared units or 700 & 900 line braising pans.

INSTALLATION ACCESSORIES
CHIMNEY UPSTANDS

206304

206509

206400

CHIMNEY UPSTANDS

RANGE	700 and 900				
PNC	206302	206303	206304	206305	206306
Width	200 mm	400 mm	800 mm	1000 mm	1200 mm

CHIMNEY UPSTAND FOR SCRATCH RESISTANT CHROME FRY TOPS HP 1200 MM

RANGE	900
PNC	206509
Width	1192 mm

CHIMNEY GRID NETS

RANGE	700 and 900			
PNC	206399	206400	206402	206403
Width	200 mm	400 mm	500 mm	590 mm

- Chimney grid nets can be used on standard chimneys or on chimney upstands.
- Number of chimney grid nets depends on unit's chimney dimension.
- In some case more than 1 grid net is needed to cover the chimney.

INSTALLATION ACCESSORIES
JUNCTION SEALING KIT

206086

JUNCTION SEALING KIT

RANGE	700 and 900
PNC	206086
Note	junction sealing kit to fill any possible gap between side-by-side appliances and prevent from any dirt infiltration

INSTALLATION ACCESSORIES
STANDS / SUPPORTS

206183

STAND / SUPPORTS (SHELVES)

RANGE	900	
PNC	206183	206184
Width	400 mm	800 mm
Note	to be installed on the neutral work tops	

- Can not be used with Salamanders

INSTALLATION ACCESSORIES
SALAMANDER SUPPORT

206476



SALAMANDER SUPPORT

RANGE	700 and 900
PNC	206476
Width	610 mm
Note	to be installed on 400mm neutral work tops without drawers

- Can be rotated according to your layout

INSTALLATION ACCESSORIES - POT RACK
5 PNC'S - MULTIPLE CONFIGURATIONS

206473

206471

206474

206473

206475

SUPPORTING COLUMNS ON NEUTRAL ELEMENTS

RANGE	700 and 900		
PNC	**206473**	**206471**	**206474**
Width	200 mm (side)	400 mm (side)	400 mm (central)

- Can not be used with Salamanders
- Neutral elements can be with or without drawers

EXTENSION ELEMENT

RANGE	700 and 900
PNC	**206472**
Width	400 mm
Note	to be installed between supporting columns

- Create the length desired using the number of extension elements desired. If installing more than 4 extension elements (206472), the central support column (206474) is required
- Can not be used with Salamanders

SIDE WALL MOUNTING BRACKET

RANGE	700 and 900
PNC	**206475**
Width	300 mm
Note	used to mount pot rack to side wall

- Can not be used with Salamanders

Note: Pot rack cannot be installed on gas units with chimney or units with lid that can interfere. Use the configurator for more details. Image shows an example of a pot rack configuration and the salamander support (cod. 206476).

INSTALLATION ACCESSORIES
STAINLESS STEEL PLINTHS

FRONTAL KICKING STRIPS

RANGE	700 and 900					
PNC	206174	206175	206176	206177	206178	206179
Width	200 mm	400 mm	800 mm	1000 mm	1200 mm	1600 mm
Appliance typology	all*	all*	all*	all*	all*	all*

- * Except 23 l fryer

FRONTAL KICKING STRIPS

RANGE	900
PNC	206203
Appliance typology	23 l fryers

SIDE KICKING STRIPS

RANGE	700	900
PNC	206249	206180
Width	700 mm	900 mm
Appliance typology	all	all

Kicking strips final effect

- Front and side kicking strips are aesthetical and hygienic elements, but they do not support the appliance's weight (that is the feet's task)
- Front kicking strips can be mounted on the back side if needed

COVER PANELS FOR SERVICE DUCT



KIT OF PANELS FOR SERVICE DUCT

RANGE	700
PNC	206248
Note	kit of panels for service duct for installation top on base
Size	300x40x160 mm

- Freestanding versions of 700 line are without service duct
- Service duct cover panels are not needed in case aesthetical cover panels (code 216000) are ordered



KIT OF PANELS FOR SERVICE DUCT

RANGE	900
PNC	206202
Note	kit of panels for service duct for back to back installation
Size	900x20x150 mm



KIT OF PANELS FOR SERVICE DUCT

RANGE	900
PNC	206181
Note	kit of panels for service duct for installation top on base or for freestanding units
Size	300x40x160 mm

- Service duct cover panels are not needed in case aesthetical cover panels (code 216134) are ordered

INSTALLATION ON 100 MM CONCRETE PLINTH



SPECIAL FEET FOR CONCRETE INSTALLATION

RANGE	700 and 900
PNC	206210
Appliance typology	Except for: EVO900 programmable fryers

- 1 kit per appliance
- The concrete plinth must be 100 mm high in order to have the worktop at 900 mm height: special feet for concrete installation are adjustable in height from 85 mm to 135 mm
- Concrete installation is not possible for ref-freezer base

FRONTAL KICKING STRIPS

RANGE	700 and 900					
PNC	206146	206147	206148	206150	206151	206152
Width	200 mm	400 mm	800 mm	1000 mm	1200 mm	1600 mm

SIDE KICKING STRIPS

RANGE	700	900
PNC	206265	206157



SPECIAL EXECUTION FOR INSTALLATION ON CONCRETE PLINTH H=150MM AVAILABLE ON REQUEST

RANGE	700 and 900

- To be requested as special execution
- Special frame for installation
- Available for all appliances except for ref-freezer base (code 729631) and some limitations for freestanding fryers due to the oil collection

SUPPORT FOR BRIDGE INSTALLATION

206137

SUPPORTS FOR BRIDGE INSTALLATION

RANGE	700 and 900					
PNC	206154	206137	206138	206139	206140	206141
Width	400 mm	800 mm	1000 mm	1200 mm	1400 mm	1600 mm

- Only for top appliances



400/800 mm freestanding or "top on base" appliances (it is recommended to use flanged feet for 400 mm appliances)

- **Note**: Bridge configuration is now available in the configurator. Bridge installation is not possible onto a braising pan

INSTALLATION ACCESSORIES
CANTILEVER SUPPORTS AND PANELS







CENTRAL SUPPORTS WITH SERVICE DUCT

RANGE	700 and 900				
PNC	206477	206478	206479	206480	206481
Size	2000 mm	2400 mm	2800 mm	3200 mm	3600 mm

- Includes support frame, cover panels of central column, lower frontal cover panels of the support frame, top cover panel and feet

WALL TYPE SUPPORTS WITH SERVICE DUCT

RANGE	700 and 900				
PNC	206482	206483	206484	206485	206486
Size	2000 mm	2400 mm	2800 mm	3200 mm	3600 mm

- Special frame for wall installation
- Includes support frame, cover panels of central column, lower frontal cover panels of the support frame, top cover panel and feet

UNDERCOVER PANELS

RANGE	700			
PNC	206487	206488	206489	206490
Size	200 mm	400 mm	800 mm	1200 mm

RANGE	900			
PNC	206491	206492	206493	2006494
Size	200 mm	400 mm	800 mm	1200 mm

UNDERCOVER PANELS FOR INDUCTION UNITS

RANGE	900	
PNC	206503	206504
Size	400 mm	800 mm

Note: Ask your local Zanussi Professional Sales representative for the Cantilever Configurator. Cantilever installation is possible with all top and monoblock units excluding refrigerated bases

INSTALLATION ACCESSORIES
CANTILEVER COVER PANELS AND SUPPORT BARS



2 AESTHETIC SIDE COVER PANELS

RANGE	700	900
PNC	206498	206501



2 SUPPORT BARS FOR TOP UNITS

RANGE	700	900
PNC	206495	206496

KIT TO INSTALL FREESTANDING UNITS ON CANTILEVER

RANGE	700 and 900
PNC	206506

KIT TO INSTALL OPEN BASES 200MM, FRY TOP HP 1200MM AND BRAISING PANS ON CANTILEVER

RANGE	700 and 900
PNC	206507

KIT TO CONNECT ADDITIONAL CANTILEVER STRUCTURES

RANGE	700 and 900
PNC	206508

Note: Ask your local Zanussi Professional Sales representative for the Cantilever Configurator

INSTALLATION ACCESSORIES
WHEELS AND FLANGED FEET

206135

206136

WHEELS

RANGE	700 and 900	
PNC	206135	206432
Appliance	4 wheels (2 with brakes)	6 wheels (3 with brakes)

SUPPORTS FOR HYGIENIC INSTALLATION ON FEET OR WHEELS - CROSSWISE

RANGE	700 and 900					
PNC	206366	206431	206367	206368	206369	206370
Appliance typology	all*	all*	all*	all*	all*	all*
Width	400 mm	600 mm	800 mm	1200 mm	1600 mm	2000 mm

- *Except 700 line 6-burner range with large oven and 900 line 23 l fryers and pasta cookers (see lengthwise supports below)
- Not for top appliances

SUPPORTS FOR HYGIENIC INSTALLATION ON FEET OR WHEELS - LENGTHWISE

RANGE	700		900	
PNC	206371	206444	206430	206372
Quantity	2	3	3	2
Appliance	6 burner range with large oven	ref. bases	ref. bases	23 l fryers and pasta cookers

FLANGED FEET

RANGE	700 and 900
PNC	206136
Quantity	2

Note: braising pans can not be installed on wheels

INSTALLATION ACCESSORIES
WATER COLUMNS

206379

FLOW METER

RANGE	700	900
PNC	206379	206380

- Top equipped with water column and liter counter

206289

WATER COLUMN WITH SWIVEL ARM

RANGE	700 and 900
PNC	206289

- Cannot be installed on: Fryers, Chip scuttles, Induction, Bases (neutral, freezer, refrigerated), 700 line infrared and induction tops

206291

206290

WATER COLUMN EXTENSION

RANGE	700	900
PNC	206291	206290

- Not needed when the water column inlet can be reached directly with the flexible water hose from the water net
- Both codes contain two extensions of different lenght
- Mandatory for 900 line installations

INSTALLATION ACCESSORIES
WATER COLUMNS

206231

EXTERNAL SUPPORT FOR WATER COLUMN

RANGE	700 and 900
PNC	206231

- To install the water column on the side or rear of the appliance

REQUEST AN OFFER TO PERSONALIZE YOUR COOKING AREA

Name .....

.....

Company.....

.....

Address . .....

.....

E-mail .....

Telephone .....

Fax .....

ITEM NAME	PNC	QUANTITY

Dealer stamp

Look for the Zanussi Professional partner nearest to you in our website:
www.zanussiprofessional.com

ZANUSSI
PROFESSIONAL

zanussiprofessional.com

Part of Electrolux Professional Group

The Company reserves the right to change specifications without notice. Pictures are not contractual.