



DE GASHERDE 7KW (6,5KW) & 10KW (8,5KW) / AUF OFEN
EN OPEN BURNER 7KW (6,5KW) & 10KW (8,5KW) / ON OVEN

TL80/85 Models 7kW / Towngas 6,5kW

PNC	Factory Model	Ref.	Description
588036	MAGCAADOPO	a	GAS TOP, 2 BURNER, 1-SIDE, 400X800X250H
588037	MAGCABDOPO	a	GAS TOP, 2 BURNER, 1-SIDE, C-BOARD, 400X800X250H
588038	MAGCACDOPO	b	GAS TOP, 2 BURNER, 2-SIDES, 400X800X250H
588039	MAGGAAHOPO	c	GAS TOP, 4 BURNER, 1-SIDE, 800X800X250H
588040	MAGGABHOPO	c	GAS TOP, 4 BURNER, 1-SIDE, C-BOARD, 800X800X250H
588041	MAGGACHOPO	d	GAS TOP, 4 BURNER, 2-SIDES, 800X800X250H
588042	MAGKAAKOPO	e	GAS TOP, 6 BURNER, 1-SIDE, 1200X800X250H
588043	MAGKABKOPO	e	GAS TOP, 6 BURNER, 1-SIDE, C-BOARD, 1200X800X250H
588044	MAGKACKOPO	f	GAS TOP, 6 BURNER, 2-SIDES, 1200X800X250H
588047	MAGCAADOPI	g	GAS TOP, 2 BURNER, ECO FLAME, 1-SIDE, 400X800X250H
588048	MAGCABDOPI	g	GAS TOP, 2 BURNER, ECO FLAME, 1-SIDE, C-BOARD, 400X800X250H
588049	MAGCACDOPI	h	GAS TOP, 2 BURNER, ECO FLAME, 2-SIDES, 400X800X250H
588050	MAGGAAHOPI	i	GAS TOP, 4 BURNER, ECO FLAME, 1-SIDE, 800X800X250H
588051	MAGGABHOPI	i	GAS TOP, 4 BURNER, ECO FLAME, 1-SIDE, C-BOARD, 800X800X250H
588052	MAGGACHOPI	k	GAS TOP, 4 BURNER, ECO FLAME, 2-SIDES, 800X800X250H
588053	MAGKAAKOPI	m	GAS TOP, 6 BURNER, ECO FLAME, 1-SIDE, 1200X800X250H
588054	MAGKABKOPI	m	GAS TOP, 6 BURNER, ECO FLAME, 1-SIDE, C-BOARD, 1200X800X250H
588055	MAGKACKOPI	n	GAS TOP, 6 BURNER, ECO FLAME, 2-SIDES, 1200X800X250H
588523	MBGCBBDPO	o	GAS TOP, 2 BURNER, 1-SIDE, C-BOARD, 400X850X250H
588524	MBGGBBHOPO	p	GAS TOP, 4 BURNER, 1-SIDE, C-BOARD, 800X850X250H
588525	MBGKBBKOPO	q	GAS TOP, 6 BURNER, 1-SIDE, C-BOARD, 1200X850X250H
588527	MBGCBBDPOI	r	GAS TOP, 2 BURNER, ECO FLAME, 1-SIDE, C-BOARD, 400X850X250H
588528	MBGGBBHOPI	s	GAS TOP, 4 BURNER, ECO FLAME, 1-SIDE, C-BOARD, 800X850X250H
588529	MBGKBBKOPI	t	GAS TOP, 6 BURNER, ECO FLAME, 1-SIDE, C-BOARD, 1200X850X250H
593103	MBGCBBDPOV	o	GAS TOP, 2 BURNER, TOWNGAS, 1-SIDE, C-BOARD, 400X850X250H
593104	MBGGBBHPOV	p	GAS TOP, 4 BURNER, TOWNGAS, 1-SIDE, C-BOARD, 800X850X250H
593105	MBGCBBDPOV	r	GAS TOP, 2 BURNER, TOWNGAS, ECO FLAME, 1-SIDE, C-BOARD, 400X850X250H
593106	MBGGBBHPOV	s	GAS TOP, 4 BURNER, TOWNGAS, ECO FLAME, 1-SIDE, C-BOARD, 800X850X250H

TL90 Models 10kW / Towngas 8,5kW

PNC	Factory Model	Ref.	Description
589068	MCGDAAEOPO	t	GAS TOP, 2 BURNER, 1-SIDE, 500X900X250H
589069	MCGDABEOPO	t	GAS TOP, 2 BURNER, 1-SIDE, C-BOARD, 500X900X250H
589070	MCGDACEOPO	u	GAS TOP, 2 BURNER, 2-SIDES, 500X900X250H
589071	MCGHAAJOPO	v	GAS TOP, 4 BURNER, 1-SIDE, 1000X900X250H
589072	MCGHABJOPO	v	GAS TOP, 4 BURNER, 1-SIDE, C-BOARD, 1000X900X250H
589073	MCGHACJOPO	w	GAS TOP, 4 BURNER, 2-SIDES, 1000X900X250H
589074	MCGLAALOPO	x	GAS TOP, 6 BURNER, 1-SIDE, 1500X900X250H
589075	MCGLABLOPO	x	GAS TOP, 6 BURNER, 1-SIDE, C-BOARD, 1500X900X250H
589076	MCGLACLOPO	y	GAS TOP, 6 BURNER, 2-SIDES, 1500X900X250H
589079	MCGDAAEOPI	z	GAS TOP, 2 BURNER, ECO FLAME, 1-SIDE, 500X900X250H
589080	MCGDABEOPI	z	GAS TOP, 2 BURNER, ECO FLAME, 1-SIDE, C-BOARD, 500X900X250H
589081	MCGDACEOPI	1	GAS TOP, 2 BURNER, ECO FLAME, 2-SIDES, 500X900X250H
589082	MCGHAAJOPI	2	GAS TOP, 4 BURNER, ECO FLAME, 1-SIDE, 1000X900X250H
589083	MCGHABJOPI	2	GAS TOP, 4 BURNER, ECO FLAME, 1-SIDE, C-BOARD, 1000X900X250H
589084	MCGHACJOPI	3	GAS TOP, 4 BURNER, ECO FLAME, 2-SIDES, 1000X900X250H
589085	MCGLAALOPI	4	GAS TOP, 6 BURNER, ECO FLAME, 1-SIDE, 1500X900X250H
589086	MCGLABLOPI	4	GAS TOP, 6 BURNER, ECO FLAME, 1-SIDE, C-BOARD, 1500X900X250H
589087	MCGLACLOPI	5	GAS TOP, 6 BURNER, ECO FLAME, 2-SIDES, 1500X900X250H
593306	MCGDAAEOVO	t	GAS TOP, 2 BURNER, TOWNGAS, 1-SIDE, 500X900X250H
593307	MCGDABEOVO	t	GAS TOP, 2 BURNER, TOWNGAS, 1-SIDE, C-BOARD, 500X900X250H
593308	MCGDACEOVO	u	GAS TOP, 2 BURNER, TOWNGAS, 2-SIDES, 500X900X250H
593309	MCGHAAJOVO	v	GAS TOP, 4 BURNER, TOWNGAS, 1-SIDE, 1000X900X250H
593310	MCGHABJOVO	v	GAS TOP, 4 BURNER, TOWNGAS, 1-SIDE, C-BOARD, 1000X900X250H
593311	MCGHACJOVO	w	GAS TOP, 4 BURNER, TOWNGAS, 2-SIDES, 1000X900X250H
593312	MCGDAAEOVI	z	GAS TOP, 2 BURNER, TOWNGAS, ECO FLAME, 1-SIDE, 500X900X250
593313	MCGDABEOVI	z	GAS TOP, 2 BURNER, TOWNGAS, ECO FLAME, 1-SIDE, C-BOARD, 500X900X250
593314	MCGDACEOVI	1	GAS TOP, 2 BURNER, TOWNGAS, ECO FLAME, 2-SIDES, 500X900X250
593315	MCGHAAJOVI	2	GAS TOP, 4 BURNER, TOWNGAS, ECO FLAME, 1-SIDE, 1000X900X250
593316	MCGHABJOVI	2	GAS TOP, 4 BURNER, TOWNGAS, ECO FLAME, 1-SIDE, C-BOARD, 1000X900X250
593317	MCGHACJOVI	3	GAS TOP, 4 BURNER, TOWNGAS, ECO FLAME, 2-SIDES, 1000X900X250

TL85/90 Models Open Burner on Static Oven 35kW / 47kW / Towngas 41kW


PNC	Factory Model	Ref.	Description
588691	MBQIGBHCPO	6	GAS TOP, 4 BURNER ,STATIC OVEN, 1-SIDE, C-BOARD, 800X850X700H
589615	MCQIEJCPO	7	GAS TOP, 4 BURNER, STATIC OVEN, 2-SIDES, 1000X900X700H
589617	MCQJFCJCPO	8	GAS TOP, 4 BURNER, STATIC OVEN, 2-SIDES, 1000X900X800H
589641	MCQIEAJCPO	9	GAS TOP, 4 BURNER, STATIC OVEN, 1-SIDE, 1000X900X700H
589642	MCQIEBJCPO	9	GAS TOP, 4 BURNER, STATIC OVEN, 1-SIDE, C-BOARD, 1000X900X700H
589645	MCQIFAJCPO	10	GAS TOP, 4 BURNER, STATIC OVEN, 1-SIDE, 1000X900X800H
589646	MCQIFBJCPO	10	GAS TOP, 4 BURNER, STATIC OVEN, 1-SIDE, C-BOARD, 1000X900X800H
588692	MBQMGBHCPO	11	GAS TOP, 4 BURNER, ECO FLAME, STATIC OVEN, 1-SIDE, C-BOARD, 800X850X700H
589616	MCQNEJCPO	12	GAS TOP, 4 BURNER, ECO FLAME, STATIC OVEN, 2-SIDE, 1000X900X700H
589618	MCQNFCJCPO	13	GAS TOP, 4 BURNER, ECO FLAME, STATIC OVEN, 2-SIDE, 1000X900X800H
589643	MCQMEAJCPO	14	GAS TOP, 4 BURNER, ECO FLAME, STATIC OVEN, 1-SIDE, 1000X900X700H
589644	MCQMEBJCPO	14	GAS TOP, 4 BURNER, ECO FLAME, STATIC OVEN, 1-SIDE, C-BOARD, 1000X900X700H
589647	MCQMFAJCPO	15	GAS TOP, 4 BURNER, ECO FLAME, STATIC OVEN, 1-SIDE, 1000X900X800H
589648	MCQMFBJCPO	15	GAS TOP, 4 BURNER, ECO FLAME, STATIC OVEN, 1-SIDE, C-BOARD, 1000X900X800H
593120	MBQIGBHCVO	6	GAS TOP, 4 BURNER, TOWNGAS, STATIC OVEN, 1-SIDE, C-BOARD, 800X850X700H
593346	MCQIEJCVO	7	GAS TOP, 4 BURNER, TOWNGAS, STATIC OVEN, 2-SIDES, 1000X900X700H
593348	MCQIEAJCVO	9	GAS TOP, 4 BURNER, TOWNGAS, STATIC OVEN, 1-SIDE, 1000X900X700H
593349	MCQIEBJCVO	9	GAS TOP, 4 BURNER, TOWNGAS, STATIC OVEN, 1-SIDE, C-BOARD, 1000X900X700H
593121	MBQMGBHCVO	11	GAS TOP, 4 BURNER, TOWNGAS, ECO FLAME, STATIC OVEN, 1-SIDE, C-BOARD, 800X850X700H
593347	MCQNEJCVO	12	GAS TOP, 4 BURNER, TOWNGAS, ECO FLAME, STATIC OVEN, 2-SIDES, 1000X900X700H
593350	MCQMEAJCVO	14	GAS TOP, 4 BURNER, TOWNGAS, ECO FLAME, STATIC OVEN, 1-SIDE, 1000X900X700H
593351	MCQMEBJCVO	14	GAS TOP, 4 BURNER, TOWNGAS, ECO FLAME, STATIC OVEN, 1-SIDE, C-BOARD, 1000X900X700H

Page	Index
4	Control panel & pan support
6	Mechanical module
8	Gas line
10	Eco flame
12	Grease drawer
14	Oven
16	Base Oven


Last Updates
12/2015
05/2016
04/2017


Page
all
added Gasoven
16

Valid from Ser. № 3101....




[illegible]








* Components on demand * Teile auf Anfrage	Doc. № 82.8041.03	Page: 9
---	--------------------------	---------



[illegible]







Appliance: **Open Burner** Nominal heat input : **10 kW (8,5 kW with Town Gas)** Factory Model: **MxGxAxxxP/W/x** Range: **800 / 850 / 900** Doc N° **82.8041.04**

	GAS TYPE	COUNTRY	NOMINAL PRESS.	GAS TYPE Testgas	CATAGORY	Pressure Regulator ±1%	Nozzle main burner (Abb. 2)		Small adjusting nozzle (Abb. 3)		Nozzle ignition burner (Abb. 4)		Aeration adj. PILOT BURNER X (mm) (Abb. 5)	Aeration adj. MAIN BURNER D (mm) (Abb. 1)	Gas Consum.	Gas consumption L/min 996.5 mbar Baro / 20 °C Sursee Almindestrasse	
							Type	mm	mm	Alias N°	Spare Part N°	N°	Alias N°			Min.	Max.
Natural Gas	1 G 110	DK, SE	8	G110	1a	-	1)	4.70	Adjust	2 turns	-	75	82.7390	10.0	2.58 m³/h	35.62	39.37
	2 G 120	SE		G120	1b	-	1)	4.20	Adjust	2 turns	-	75	82.7390	9.0	2.02 m³/h	31.82	35.17
	3	HU	25	G20	2H	-	1)	2.20	712 345064.42	0A2083	0A2083	41	72.7754	0.0	1.06 m³/h	17.05	18.84
	4			G25.1	2S	-	1)	2.50	712 345064.42	059382	059382	41	72.7754	10.0	1.23 m³/h	19.73	21.81
	5	AT, CH, DK, EE, ES, FI, GB, GR, IE, IT, LV, NO, PT, SE, SI, SK, BG, CZ, HR, LT, RO, TR, CZ	20	G20	2H	-	1)	2.35	712 345064.42	0A5356	0A5356	41	72.7754	0.0	1.06 m³/h	17.05	18.84
	6	DE, LU, PL	20	G20	2E	-	1)	2.35	712 345064.42	0A5356	0A5356	41	72.7754	0.0	1.06 m³/h	17.05	18.84
	7	BE, FR	20/25	G20	2E+	-	1)	2.35	712 345064.42	0A5356	0A5356	41	72.7754	0.0	1.06 m³/h	17.05	18.84
	8			G25													
	9	NL	25	G25	2L	-	1)	2.45	712 345064.42	058980	058980	41	72.7754	0.0	1.23 m³/h	19.73	21.81
	10	DE	20	G25	2LL	-	1)	2.55	712 345064.42	059529	059529	41	72.7754	0.0	1.23 m³/h	19.83	20.87
Liquid Gas	11	CH, DE, FR, HU, NL	50	G31	3P	-	2)	1.50	82.7388.08	0G6806	0G6806	25	72.7755	8.0	0.79 Kg/h	6.40	7.07
	12	PL	37			-	2)	1.50	82.7388.08	0G6606	0G6606	25	72.7755	0.0	0.78 Kg/h	4.91	5.43
	13	CZ, CY, DK, EE, FI, HU, LV, LT, MT, NL, NO, SE, SI, SK, BG, HR, IS, RO, TR	30	G30/31	3B/P	-	2)	1.55	82.7388.09	0G6533	0G6533	25	72.7755	0.0	0.78 Kg/h	4.95	5.47
	14	AT, CH, DE	50			-	2)	1.35	82.7388.06	0G6604	0G6604	25	72.7755	8.0	0.78 Kg/h	4.85	5.36
	15	BE, CH, ES, FR, GB, GR, IE, IT, PT, LT, SI, CZ, EE, LV, SK	28-30 / 37	G30/31	3+	-	2)	1.55	82.7388.09	0G6533	0G6533	25	72.7755	0.0	0.78 Kg/h	4.95	5.47

Abb. 1





Abb. 2

Type 1)
72.7801.xx



Type 2)
82.7388.xx




Abb. 3




Abb. 4





Abb. 5



Seal with a drop
of Loctite 511



Electrolux

thermamine 80 / 85 / 90 Nozzle list / Düsentabelle

Appliance:

Open Burner

Nominal heat input :

5 kW (5 kW with Town Gas)

Factory Model:

MxGxAxxxP/W/x

Range:

800 / 850 / 900

Doc N°

82.8041.04

Town Gas	GAS TYPE	COUNTRY	NOMINAL PRESS.	GAS TYPE <u>TestGas</u>	CATEGORY	Pressure Regulator ±1%	Nozzle main burner (Abb. 2)				Small adjusting nozzle (Abb. 3)				Nozzle ignition burner (Abb. 4)		Gas Consum.	Gas consumption L/min 956.5 mbar Baro / 20°C Sursee Allmendstrasse			
							Type	mm	Alias N°	Spare Part N°	mm	Alias N°	Spare Part N°	N°	Alias N°	Spare Part N°		Aeration adj. PILOT BURNER X (mm) (Abb. 5)	Aeration adj. MAIN BURNER D (mm) (Abb. 1)	Min.	Nominal -value Max.
1	G 110	DK, SE	8	G110	1a	-	1)	3,25	72.7801.44	Adjust	2 turns	-	75	82.7390	8.0	1.29 m3/h	20.95	22.06	23.16		
2	G 120	SE		G120	1b	-	1)	3,00	72.7801.45	Adjust	2 turns	-	75	82.7390	8.0	1.01 m3/h	18.72	19.70	20.69		
3		HU	25	G20	2H	-	1)	1,55	72.7801.04	0A2103	712.345064.40	056743	41	72.7754	0KT740	0.0	0.53 m3/h	8.52	8.97	9.42	
4				G25.1	2S	-	1)	1,75	72.7801.34	059315	0.80	712.345064.40	056743	41	72.7754	0KT740	0.0	0.61 m3/h	9.86	10.38	10.90
5	Natural Gas H	AT, CH, DK, EE, ES, FI, GB, GR, IE, IT, LV, NO, PT, SE, SI, SK, BG, CZ, HR, LT, RO, TR, CZ	20	G20	2H	-	1)	1,65	72.7801.19	0A2141	0.80	712.345064.40	056743	41	72.7754	0KT740	0.0	0.53 m3/h	8.52	8.97	9.42
6	Natural Gas E	DE, LU, PL	20	G20	2E	-	1)	1,65	72.7801.19	0A2141	0.80	712.345064.40	056743	41	72.7754	0KT740	0.0	0.53 m3/h	8.52	8.97	9.42
7	Natural Gas H/L	BE, FR	20/25	<u>G20</u>	2E+	-	1)	1,65	72.7801.19	0A2141	0.80	712.345064.40	056743	41	72.7754	0KT740	0.0	0.53 m3/h	8.52	8.97	9.42
8	Pressure Couple			G25																	
9	Natural Gas L	NL	25	G25	2L	-	1)	1,75	72.7801.44	002916	0.75	712.345064.22	0KK127	41	72.7754	0KT740	0.0	0.61 m3/h	9.86	10.38	10.90
10	Natural Gas LL	DE	20	G25	2LL	-	1)	1,85	72.7801.45	0A2090	0.80	712.345064.40	056743	41	72.7754	0KT740	0.0	0.61 m3/h	9.91	10.44	10.96
11	Propan	CH, DE, FR, HU, NL	50	G31	3P	-	2)	1,05	82.7388.01	0G6603	0.45	712.345064.23	0KD856	25	72.7755	054593	3.0	0.39 kg/h	3.20	3.37	3.54
12	Butan/ Propan	CZ, CY, DK, EE, FI, HU, LV, LT, MT, NL, NO, SE, SI, SK, BG, HR, IS, RO, TR	37	30	3B/P	-	2)	1,05	82.7388.01	0G6603	0.45	712.345064.23	0KD856	25	72.7755	054593	3.0	0.39 kg/h	2.46	2.59	2.71
13						-	2)	1,10	82.7388.02	0G6518	0.50	712.345064.25	0T2199	25	72.7755	054593	0.0	0.39 kg/h	2.48	2.61	2.74
14	Butangas Propan Pressure Couple	BE, CH, ES, FR, GB, GR, IE, IT, PT, LT, SI, CZ, EE, LV, SK	50	28-30 / 37	3+	-	2)	1,10	82.7388.02	0G6518	0.50	712.345064.25	0T2199	25	72.7755	054593	3.0	0.39 kg/h	2.43	2.55	2.68
15						-	2)	1,10	82.7388.02	0G6518	0.50	712.345064.25	0T2199	25	72.7755	054593	0.0	0.39 kg/h	2.48	2.61	2.74

Abb. 1




Abb. 2




Abb. 3




Abb. 4





Abb. 5





Electrolux

thermaline 80 / 85 / 90 Nozzle list / Düsentabelle

Appliance:

Nominal heat input :

Factory Model:

Range:

Doc N°

Open Burner

7 kW (6,5 kW with Town Gas)

MxGxAxxxP/VWx

800 / 850 / 900

82.8041.04

GAS TYPE	COUNTRY	NOMINAL PRESS.	GAS TYPE Test gases	CATEGORY	Pressure Regulator ±1%	Nozzle main burner (Abb. 2)			Small adjusting nozzle (Abb. 3)			Nozzle ignition burner (Abb. 4)		Aeration adj. PILOT BURNER X (mm) (Abb. 5)	Aeration adj. MAIN BURNER D (mm) (Abb. 1)	Gas Consum.	Gas consumption L/min 956.5 mbar Baro / 20°C Sursee Allmendstrasse	
						Type	mm	Alias N°	Spare Part N°	mm	Alias N°	N°	Alias N°				Min.	Max.
1 Town Gas																		
2																		
3																		
4																		
5																		
6																		
7																		
8																		
9																		
10																		
11																		
12																		
13																		
14																		
15																		

Abb. 1




Abb. 2




Abb. 3




Abb. 4





Abb. 5





Electrolux

therma^{line} 80 / 85 / 90 Nozzle list / Düsentabelle

Appliance:

Nominal heat input :

Factory Model

Range:

Doc N°

STATIC OVEN GAS

7 kW

MxxxxxxCP/V/W/x

800 / 850 / 900

82.8131.04

Town Gas	GAS TYPE	COUNTRY	NOMINAL PRESS.	GAS TYPE Test-gas	CATAGORY	Pressure Regulator ±1%	Nozzle C main burner (Abb. 2)			Small adjusting nozzle (Abb. 3)			Nozzle F ignition burner (Abb. 4)			Aeration adj. MAIN BURNER D (mm) (Abb. 1)		Spoiler sheet (Abb. 1)		Gas Consum.	Gas consumption L/min 956.5 mbar Baro / 20 °C Sursee Allmendstrasse		
							Type	mm	Alias N°	mm	Alias N°	Spare Part N°	N°	Alias N°	Spare Part N°	Alias N°	Spare Part N°	Min.	Nominal-value		Max.		
1	G 110	DK, SE	8	G110	1a	-	-	4.10	72.5080.05	OG6599	-	-	60	712 345056.04	OG4110	4.5	72.6824.01	-	1.81 m³/h	29.70	31.27	32.83	
2	G 120	SE		G120	1b	-	-	3.80	72.5080.06	OG6600	-	-	60	712 345056.04	OG4110	4.5	72.6824.01	-	1.61 m³/h	26.43	27.82	29.21	
3	Natural Gas H	HU	25	G20	2H	-	-	1.90	72.5080.01	OG2776	1.30	62.2500.09	OG2771	40	712 345056.05	OG6594	4.5	72.6824.01	-	0.74 m³/h	11.93	12.56	13.19
4				G25.1	2S	-	-	2.15	72.5080.02	OG3421	1.30	62.2500.09	OG2771	40	712 345056.05	OG6594	4.5	72.6824.01	-	0.86 m³/h	13.81	14.54	15.26
5				G20	2H	-	-	2.00	72.5080.01	OG2776	1.30	62.2500.09	OG2771	40	712 345056.05	OG6594	4.5	72.6824.01	-	0.74 m³/h	11.93	12.56	13.19
6				Natural Gas E	DE, LU, PL	20	G20	2E	-	-	2.00	72.5080.01	OG2776	1.30	62.2500.09	OG2771	40	712 345056.05	OG6594	4.5	72.6824.01	-	0.74 m³/h
7	Natural Gas H/L	BE, FR	20/25	G20	2E+	-	-	2.00	72.5080.01	OG2776	1.30	62.2500.09	OG2771	40	712 345056.05	OG6594	4.5	72.6824.01	-	0.74 m³/h	11.93	12.56	13.19
8	Pressure Couple			-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Natural Gas L	NL	25	G25	2L	-	-	2.10	72.5080.02	OG3421	1.30	62.2500.09	OG2771	40	712 345056.05	OG6594	4.5	72.6824.01	-	0.86 m³/h	13.81	14.54	15.26
10	Natural Gas LL	DE	20	G25	2LL	-	-	2.25	72.5080.15	-	1.30	62.2500.09	OG2771	40	712 345056.05	OG6594	4.5	72.6824.01	-	0.86 m³/h	13.88	14.61	15.34
11	Propan	CH, DE, FR, HU, NL	50	G31	3P	-	-	1.30	72.5080.03	OG2777	0.70	62.2500.12	OG4641	25	712 345056.06	OG2805	8.5	72.6824.02	OG2713	0.546 Kg/h	4.48	4.72	4.95
12	Butan/Propan	PL	37	G30/31	3B/P	-	-	1.30	72.5080.03	OG2777	0.80	62.2500.02	OG4808	25	712 345056.06	OG2805	8.5	72.6824.02	OG2713	0.553 Kg/h	3.44	3.62	3.80
13						CZ, CY, DK, EE, FI, HU, LV, LT, MT, NL, NO, SE, SI, SK, BG, HR, IS, RO, TR	30	OG5767	0.80	62.2500.02	OG4808	25	712 345056.06	OG2805	8.5	72.6824.02	OG2713	0.553 Kg/h	3.47	3.65	3.83		
14	Butangas Propan Pressure Couple	AT, CH, DE	50	G30/31	3+	-	-	1.20	72.5080.08	OG4636	0.70	62.2500.12	OG4641	25	712 345056.06	OG2805	8.5	72.6824.02	OG2713	0.553 Kg/h	3.40	3.57	3.75
15						BE, CH, ES, FR, GB, GR, IE, IT, PT, LT, SI, CZ, EE, LV, SK	28-30 / 37	OG5767	0.80	62.2500.02	OG4808	25	712 345056.06	OG2805	8.5	72.6824.02	OG2713	0.553 Kg/h	3.47	3.65	3.83		

Abb. 1




Abb. 2




Abb. 3




Abb. 4

