



Thinking of you  
**Electrolux**

Thermaline 80/85/90  
Recommended spare parts

2-zone induction			M*IB***OAO						
Date/Approval: 21.02.2014 zih			DOC N° 82.8080.03						
Spare part	Alias	Designation	Quantity						
			800		850		900		
			1S	CB	2S	CB	1S	CB	2S
0G6314	82.9020	Off-9 level switch + 2x 10k potentiometer	2	2	2		2	2	2
0G6242	82.9013	Off-9 level switch + 10k potentiometer				2			
0G6247	82.7009	Sealing turning handle	2	2	2	2	2	2	2
0G6369	82.9124.01	0°x6.0 turning handle with adapter	2	2	2	2	2	2	2
0G6324	82.7416	12V installation signal LED				2			
0K1364	72.5938.08	Green insert fittings				2			
0G6302	82.9115.01	Eurotas induction display	2	2	2		2	2	2
0G6250	82.7093	FUSE HOLDER	1	1	1		1	1	1
0G5814	712 344362.01	5x20 1A F FUSE	1	1	1		1	1	1
0G6075	82.9030	12V DC power supply	1	1	1		1	1	1
0G6274	82.7159	60x60x25 // 12VDC/3.5W axial fan	1	1	2		1	1	2
0G6338	82.7382	60X60X25 622M (1W) ventilator				1			
<b>Atics:</b>									
0C8305	82.7079.01	KIT ATICS 5KW 400V (EGO78.99260.063)	2	2	2	2	2	2	2
0C0027	830897601 (IT)	78.93017.100 INDUCTION COIL ATICS 1X5 KW 400V WITH GRAPHITE STRING	2	2	2	2	2	2	2
0C7867	0873879802 (IT)	78.90803.010 INVERTER ATICS 5KW 400V (SENZA UI)	2	2	2	2	2	2	2
<b>Foucault:</b>									
0CA027	82.7452.01_A	KIT Foucault 5KW 400V	2	2	2	2	2	2	2
0G6332	82.7066	320x660 glass ceramic plate	1	1	1	1			
0G6333	82.7068	340x740 glass ceramic plate					1	1	1
0K5103	1 201 1444	Silicon plate					10	10	10
0K3948	1 201 1792	Novasil adhesive					1	1	1



**4-zone induction**

**M\*ID\*\*\*OAO**

Date/Approval: 21.02.2014 zih

DOC N° 82.8080.03

Spare part	Alias	Designation	Quantity						
			800		850		900		
			1S	CB	2S	CB	1S	CB	2S
0G6314	82.9020	Off-9 level switch + 2x 10k potentiometer	4	4	4		4	4	4
0G6242	82.9013	Off-9 level switch + 10k potentiometer				4			
0G6247	82.7009	Sealing turning handle	4	4	4	4	4	4	4
0G6369	82.9124.01	0°x6.0 turning handle with adapter	4	4	4	4	4	4	4
0G6324	82.7416	12V installation signal LED				4			
0KI364	72.5938.08	Green insert fittings				4			
0G6302	82.9115.01	Eurotas induction display	4	4	4		4	4	4
0G6250	82.7093	FUSE HOLDER	1	1	1		1	1	1
0G5814	712 344362.01	5x20 1A F FUSE	1	1	1		1	1	1
0G6075	82.903	12V DC power supply	1	1	1		1	1	1
0G6274	82.7159	60x60x25 // 12VDC/3.5W axial fan	1	1	2		1	1	2
0G6338	82.7382	60X60X25 622M (1W) ventilator				1			
<b>Atics:</b>									
0C8305	82.7079.01	KIT ATICS 5KW 400V (EGO78.99260.063)	4	4	4	4	4	4	4
0C0027	830897601 (IT)	78.93017.100 INDUCTION COIL ATICS 1X5 KW 400V WITH GRAPHITE STRING	4	4	4	4	4	4	4
0C7867	0873879802 (IT)	78.90803.010 INVERTER ATICS 5KW 400V (SENZA UI)	4	4	4	4	4	4	4
<b>Foucault:</b>									
0CA027	82.7452.01_A	KIT Foucault 5KW 400V	4	4	4	4	4	4	4
0G6334	82.7069	660x660 glass ceramic plate	1	1	1	1			
oG6335	82.7070	840x740 glass ceramic plate					1	1	1
0K5103	1 201 1444	Silicon plate	16	16	16	16	16	16	16
0K3948	1 201 1792	Novasil adhesive	1	1	1	1	1	1	1



## 2-zone induction wok & plate

M\*IJ\*\*\*OAO

Date/Approval: 21.02.2014 zih

DOC N° 82.8080.03

Spare part	Alias	Designation	Quantity								
			800		850		900				
			1S	CB	2S	CB	1S	CB	2S		
0G6314	82.9020	Off-9 level switch + 2x 10k potentiometer					2	2			
0G6242	82.9013	Off-9 level switch + 10k potentiometer				2					
0G6247	82.7009	Sealing turning handle				2	2	2			
0G6369	82.9124.01	0°x6.0 turning handle with adapter				2	2	2			
0G6324	82.7416	12V installation signal LED				2					
0K1364	72.5938.08	Green insert fittings				2					
0G6302	82.9115.01	Eurotas induction display						2	2		
0G6250	82.7093	FUSE HOLDER						1	1		
0G5814	712 344362.01	5x20 1A F FUSE						1	1		
0G6075	82.9030	12V DC power supply						1	1		
0G6274	82.7159	60x60x25 // 12VDC/3.5W axial fan						1	1		
0G6338	82.7382	60X60X25 622M (1W) axial fan				1					
0C8305	82.7079.01	Kit Atics 5KW 400V (EGO78.99260.063)				1	1	1			
0C0027	830897601 (IT)	78.93017.100 INDUCTION COIL ATICS 1X5 KW 400V WITH GRAPHITE STRING				1	1	1			
0C7867	0873879802 (IT)	78.90803.010 INVERTER ATICS 5KW 400V (SENZA UI)				1	1	1			
0G6337	82.7402	320x320 glass plate				1	1	1			
0K5103	1 201 1444	Silicon plate				8	8	8			
0C9091	82.7347.01	Kit Atics Wok 5kW 400V (EGO78.90903.050)				1	1	1			
0C7412	0875899H00 (IT)	INVERTER WOK				1	1	1			
0C7413	0875899J00 (IT)	COIL WOK				1	1	1			
0T2444	72.6015	Cuvette Wok				1	1	1			
0K3948	1 201 1792	Novasil adhesive				1	1	1			



## 2-zone induction plate & wok

MCIK\*\*\*OAO

Date/Approval: 21.02.2014 zih

DOC N° 82.8080.03

Spare part	Alias	Designation	Quantity								
			800		850		900				
			1S	CB	2S	CB	1S	CB	2S		
0G6314	82.9020	Off-9 level switch + 2x 10k potentiometer									2
0G6242	82.9013	Off-9 level switch + 10k potentiometer									
0G6247	82.7009	Sealing turning handle									2
0G6369	82.9124.01	0°x6.0 turning handle with adapter									2
0G6324	82.7416	12V installation signal LED									
0KI364	72.5938.08	Green insert fittings									
0G6302	82.9115.01	Eurotas induction display									2
0G6250	82.7093	FUSE HOLDER									1
0G5814	712 344362.01	5x20 1A F FUSE									1
0G6075	82.9030	12V DC power supply									1
0G6274	82.7159	60x60x25 // 12VDC/3.5W axial fan									2
0G6338	82.7382	60X60X25 622M (1W) axial fan									
0C8305	82.7079.01	Kit Atics 5KW 400V (EGO78.99260.063)									2
0C0027	830897601 (IT)	78.93017.100 INDUCTION COIL ATICS 1X5 KW 400V WITH GRAPHITE STRING									2
0C7867	0873879802 (IT)	78.90803.010 INVERTER ATICS 5KW 400V (SENZA UI)									2
0C9091	82.7347.01	Kit Atics Wok 5kW 400V (EGO78.90903.050)									1
0C7412	0875899H00 (IT)	INVERTER WOK									1
0C7413	0875899J00 (IT)	COIL WOK									1
0T2444	72.6015	Cuvette Wok									1
	82.7402	320x320 glass plate									1
0K3948	1 201 1792	Novasil adhesive									1



# 1-zone induction wok

M\*IH\*\*\*OAO

Date/Approval: 21.02.2014 zih

DOC N° 82.8080.03

			Quantity					
Spare part	Alias	Designation	800		850		900	
			1S	CB	2S	CB	1S	CB
0G6314	82.9020	Off-9 level switch + 2x 10k potentiometer	1	1			1	1
0G6242	82.9013	Off-9 level switch + 10k potentiometer				1		
0G6247	82.7009	Sealing turning handle	1	1		1	1	1
0G6369	82.9124.01	0°x6.0 turning handle with adapter	1	1		1	1	1
0G6324	82.7416	12V installation signal LED				1		
0K1364	72.5938.08	Green insert fittings				1		
0G6302	82.9115.01	Eurotas induction display	1	1			1	1
0G6250	82.7093	FUSE HOLDER	1	1			1	1
0G5814	712 344362.01	5x20 1A F FUSE	1	1			1	1
0G6075	82.9030	12V DC power supply	1	1			1	1
0G6274	82.7159	60x60x25 // 12VDC/3.5W axial fan	1	1			1	1
0G6338	82.7382	60X60X25 622M (1W) axial fan				1		
0C8305	82.7079.01	KIT ATICS 5KW 400V (EGO78.99260.063)	1	1		1	1	1
0C0027	830897601 (IT)	78.93017.100 INDUCTION COIL ATICS 1X5 KW 400V WITH GRAPHITE STRING	1	1		1	1	1
0C7867	0873879802 (IT)	78.90803.010 INVERTER ATICS 5KW 400V (SENZA UI)	1	1		1	1	1
0T2444	72.6015	Cuvette Wok	1	1		1	1	1
0K3948	1 201 1792	Novasil adhesive	1	1		1	1	1



4-zone focault induction 1Side  
on warming cabinet 1Side w=800/1000

M\*IQ\*\*\*4AO

Date/Approval: 16.09.2014 NeF

DOC N° 82.8080.03

Spare part	Alias	Designation	Quantity							
			Height		800		850		900	
			700	800	1S	CB		CB	1S	CB
<b>Induction:</b>										
0G6314	82.9020	Off-9 level switch + 2x 10k potentiometer	x	x	4	4			4	4
0G6242	82.9013	Off-9 level switch + 10k potentiometer	x					4		
0G6247	82.7009	Sealing turning handle	x	x	4	4		4	4	4
0G6369	82.9124.01	0°x6.0 turning handle with adapter	x	x	4	4		4	4	4
0G6324	82.7416	12V installation signal LED	x					4		
OKI364	72.5938.08	Green insert fittings	x					4		
0G6302	82.9115.01	Eurotas induction display	x	x	4	4			4	4
0G6250	82.7093	FUSE HOLDER	x	x	1	1			1	1
0G5814	712 344362.01	5x20 1A F FUSE	x	x	1	1			1	1
0G6075	82.903	12V DC power supply	x	x	1	1			1	1
0G6274	82.7159	60x60x25 // 12VDC/3.5W axial fan	x	x	1	1			1	1
0G6338	82.7382	60X60X25 622M (1W) ventilator	x					1		
0CA027	82.7452.01_A	KIT Focault 5KW 400V	x	x	4	4		4	4	4
0G6640	82.7439	Tangential Fan QL65/0012-2524	x	x	1	1		1	1	1
0G6334	82.7069	660x660 glass ceramic plate	x	x	1	1		1		
0G6335	82.7070	840x740 glass ceramic plate	x	x					1	1
OK5103	1 201 1444	Silicon plate	x	x	16	16		16	16	16
OK3948	1 201 1792	Novasil adhesive	x	x	1	1		1	1	1
<b>Warming cabinet:</b>										
OK5023	712 344039	Thermostat	x	x	1			1	1	
0G6247	82.7009	Sealing turning handle	x	x	1			1	1	
0G6369	82.9124.01	0°x6.0 turning handle with adapter	x	x	1			1	1	
OKI362	72.5938.04	Green indicator lamp	x	x	1			1	1	
OKI364	72.5938.08	Green insert fittings d=10mm	x	x	1			1	1	
0G2911	62.4082.03	2.00-kW heat element	x	x	1			1	1	



4-zone focault induction 2Side  
on warming cabinet 2Side w=800/1000

M\*IR\*\*\*4AO

Date/Approval:16.09.2014 NeF

DOC N° 82.8080.03

Spare part	Alias	Designation	Height		Quantity				
			700	800	800	850	900		
						2S	CB		2S
<b>Induction:</b>									
0G6314	82.9020	Off-9 level switch + 2x 10k potentiometer	x	x		4			4
0G6242	82.9013	Off-9 level switch + 10k potentiometer	x						
0G6247	82.7009	Sealing turning handle	x	x		4			4
0G6369	82.9124.01	0°x6.0 turning handle with adapter	x	x		4			4
0G6324	82.7416	12V installation signal LED	x						
0K1364	72.5938.08	Green insert fittings	x						
0G6302	82.9115.01	Eurotas induction display	x	x		4			4
0G6250	82.7093	FUSE HOLDER	x	x		1			1
0G5814	712 344362.01	5x20 1A F FUSE	x	x		1			1
0G6075	82.903	12V DC power supply	x	x		1			1
0G6274	82.7159	60x60x25 // 12VDC/3.5W axial fan	x	x		2			2
0G6338	82.7382	60X60X25 622M (1W) ventilator	x						
0CA027	82.7452.01_A	KIT Focault 5KW 400V	x	x		4			4
0G6640	82.7439	Tangential Fan QL65/0012-2524	x	x		1			1
0G6334	82.7069	660x660 glass ceramic plate	x	x		1			1
0G6335	82.7070	840x740 glass ceramic plate	x	x					
0K5103	1 201 1444	Silicon plate	x	x		16			16
0K3948	1 201 1792	Novasil adhesive	x	x		1			1
<b>Warming cabinet:</b>									
0K5023	712 344039	Thermostat	x	x		1			1
0G6247	82.7009	Sealing turning handle	x	x		1			1
0G6369	82.9124.01	0°x6.0 turning handle with adapter	x	x		1			1
0K1362	72.5938.04	Green indicator lamp	x	x		1			1
0K1364	72.5938.08	Green insert fittings d=10mm	x	x		1			1
0G2911	62.4082.03	2.00-kW heat element	x	x		1			1



4-zone focault induction 1Side  
on static oven 1Side w=800/1000

M\*IM\*\*\*8AO

Date/Approval: 16.09.2014 NeF

DOC N° 82.8080.03

Spare part	Alias	Designation	Quantity								
			Height		800		850		900		
			700	800	1S	CB		CB	1S	CB	
<b>Induction:</b>											
0G6314	82.9020	Off-9 level switch + 2x 10k potentiometer	x	x	4	4			4	4	
0G6242	82.9013	Off-9 level switch + 10k potentiometer	x					4			
0G6247	82.7009	Sealing turning handle	x	x	4	4		4	4	4	
0G6369	82.9124.01	0°x6.0 turning handle with adapter	x	x	4	4		4	4	4	
0G6324	82.7416	12V installation signal LED	x					4			
0KI364	72.5938.08	Green insert fittings	x					4			
0G6302	82.9115.01	Eurotas induction display	x	x	4	4			4	4	
0G6250	82.7093	FUSE HOLDER	x	x	1	1			1	1	
0G5814	712 344362.01	5x20 1A F FUSE	x	x	1	1			1	1	
0G6075	82.903	12V DC power supply	x	x	1	1			1	1	
0G6274	82.7159	60x60x25 // 12VDC/3.5W axial fan	x	x	1	1			1	1	
0G6338	82.7382	60X60X25 622M (1W) ventilator	x					1			
0CA027	82.7452.01_A	KIT Focault 5KW 400V	x	x	4	4		4	4	4	
0G6640	82.7439	Tangential Fan QLNG65/0012-2524	x	x	1	1		1	1	1	
0G6334	82.7069	660x660 glass ceramic plate	x	x	1	1		1			
oG6335	82.7070	840x740 glass ceramic plate	x	x					1	1	
0K5103	1 201 1444	Silicon plate	x	x	16	16		16	16	16	
0K3948	1 201 1792	Novasil adhesive	x	x	1	1		1	1	1	
<b>Static oven:</b>											
004269	82.9053	Safety thermostat 360°C -25K	x	x	2	2		2	2	2	
0KI360	72.5054.03	400V/ 2500W heating element	x	x	2	2		2	2	2	
0G6318	82.9120	3/4 OFF/STEPLESS SWITCH + 280°C CONTROLLER	x	x	2	2		2	2	2	
0KI361	72.5938.03	Clear indicator lamp	x	x	2	2		2	2	2	
0KI363	72.5938.07	Clear insert fittings	x	x	2	2		2	2	2	
0G6247	82.7009	Sealing turning handle	x	x	2	2		2	2	2	
0G6369	82.9124.01	0°x6.0 turning handle with adapter	x	x	2	2		2	2	2	
0G2352	72.5891	Door spring	x	x							
0G6344	82.6500	Oven handle	x	x	1	1		1	1	1	





4-zone foucault induction 2Side  
on static oven 2Side w=800/1000

M\*IN\*\*\*8AO

Date/Approval: 16.09.2014 NeF

DOC N° 82.8080.03

Spare part	Alias	Designation	Height		Quantity							
			700	800	800		850		900			
					1S	CB	2S	CB	1S	CB	2S	
<b>Induction:</b>												
0G6314	82.9020	Off-9 level switch + 2x 10k potentiometer	x	x				4				4
0G6242	82.9013	Off-9 level switch + 10k potentiometer	x	x								
0G6247	82.7009	Sealing turning handle	x	x				4				4
0G6369	82.9124.01	0°x6.0 turning handle with adapter	x	x				4				4
0G6324	82.7416	12V installation signal LED	x	x								
0KI364	72.5938.08	Green insert fittings	x	x								
0G6302	82.9115.01	Eurotas induction display	x	x				4				4
0G6250	82.7093	FUSE HOLDER	x	x				1				1
0G5814	712 344362.01	5x20 1A F FUSE	x	x				1				1
0G6075	82.903	12V DC power supply	x	x				1				1
0G6274	82.7159	60x60x25 // 12VDC/3.5W axial fan	x	x				2				2
0G6338	82.7382	60X60X25 622M (1W) ventilator	x	x								
0CA027	82.7452.01_A	KIT Foucault 5KW 400V	x	x				4				4
0G6640	82.7439	Tangential Fan QL65/0012-2524	x	x				1				1
0G6334	82.7069	660x660 glass ceramic plate	x	x				1				1
0G6335	82.7070	840x740 glass ceramic plate	x	x								
0K5103	1 201 1444	Silicon plate	x	x				16				16
0K3948	1 201 1792	Novasil adhesive	x	x				1				1
<b>Static oven:</b>												
004269	82.9053	Safety thermostat 360°C -25K	x	x				2				2
	72.9934.03	2500 KW 400V HEATING ELEMENT	x	x				2				2
0G6318	82.9120	3/4 OFF/STEPLESS SWITCH + 280°C	x	x				2				2
0KI361	72.5938.03	Clear indicator lamp	x	x				2				2
0KI363	72.5938.07	Clear insert fittings	x	x				2				2
0G6247	82.7009	Sealing turning handle	x	x				2				2
0G6369	82.9124.01	0°x6.0 turning handle with adapter	x	x				2				2
0G2352	72.5891	Door spring	x	x								
0G6344	82.6500	Oven handle	x	x				2				2