

# Modular Cooking Range Line 900XP Electric Grill Top HP 400mm (Marine)

ITEM #		
MODEL #		
NAME #		
SIS #		
AIA#		



#### 391368 (E9JJCJAOMCG)

Half module electric grill top HP (high performance). Heating via incoloy armoured heating elements positioned under removable cooking grid, integrated water tap, fixed well with drain, heat boost deflectros, WRAS - marine

## **Short Form Specification**

### Item No.

Heating via incoloy armoured heating elements positioned under the cooking grid. Cooking surface grids are easily removable for cleaning. Heating elements can be tilted. Integrated water tap. Fixed well with drain. Extra strength work top in heavy duty 2 mm stainless steel. Right-angled side edges to allow flush-fitting junction between units. WRAS compliant. 400 V Version.

#### **Main Features**

- Removable 2mm thick steel U-shaped grids in AISI 441 stainless steel for fast heating of cooking surface.
- Led warning indicator to give an alarm when well is empty.
- Incoloy armoured heating elements positioned under the cooking grid.
- Each bank of elements has an independent power regulation through a control knob.
- Power indicator light.
- Heating elements tilt 90° for easy cleaning.
- Fixed well with drain to collect residual cooking juices and grease.
- Large drain protected by overflow and filter.
- Water must be added to well before operation.
- Water filling tap with knob control.
- Removable stainless steel deflectors to recuperate heat and reduce cooking time.
- Stainless steel splash guards on sides of cooking surface. Splash guards can be easily removed for cleaning.
- Top configuration allows installation on ambient base or refrigerated/freezer base.

## Construction

- Model has right-angled side edges to allow flush fitting joints between units, eliminating gaps and possible dirt traps.
- AISI 304 stainless steel worktop, 2mm thick.
- All exterior panels in Stainless Steel with Scotch Brite finishing.
- Unit is 930 mm deep to give a larger working surface area.

#### APPROVAL:




# Modular Cooking Range Line 900XP Electric Grill Top HP 400mm (Marine)


## **Included Accessories**

• 1 of Scraper for HP electric grill	PNC 206436	
Optional Accessories		
<ul> <li>Junction sealing kit</li> </ul>	PNC 206086	
<ul> <li>Support for bridge type installation, 800mm</li> </ul>	PNC 206137	
<ul> <li>Support for bridge type installation, 1000mm</li> </ul>	PNC 206138	
<ul> <li>Support for bridge type installation, 1200mm</li> </ul>	PNC 206139	
<ul> <li>Support for bridge type installation, 1400mm</li> </ul>	PNC 206140	
<ul> <li>Support for bridge type installation, 1600mm</li> </ul>	PNC 206141	
<ul> <li>Support for bridge type installation, 400mm</li> </ul>	PNC 206154	
<ul> <li>Scraper for HP electric grill</li> </ul>	PNC 206436	
<ul> <li>Drain extension for Electric grill HP</li> </ul>	PNC 206437	
• Side handrail-right/left hand (900XP)	PNC 216044	
<ul> <li>Frontal handrail, 400mm</li> </ul>	PNC 216046	
<ul> <li>Frontal handrail, 800mm</li> </ul>	PNC 216047	
<ul> <li>Frontal handrail, 1200mm</li> </ul>	PNC 216049	
<ul> <li>Frontal handrail, 1600mm</li> </ul>	PNC 216050	
<ul> <li>Large handrail - portioning shelf, 400mm</li> </ul>	PNC 216185	
<ul> <li>Large handrail - portioning shelf, 800mm</li> </ul>	PNC 216186	
<ul> <li>2 side covering panels for top appliances</li> </ul>	PNC 216278	




# Modular Cooking Range Line 900XP Electric Grill Top HP 400mm (Marine)





Drain ΕI Electrical inlet (power) EQ Equipotential screw

Water inlet



### **Electric**

Supply voltage: 440 V/3 ph/50/60 Hz

Predisposed for:

5.8 kW Electrical power, max:

## **Key Information:**

If appliance is set up either next to or against temperature sensitive furniture or similar, a safety gap of approximately 150 mm should be maintained or some form of heat insulation fitted.

External dimensions, Width: 400 mm External dimensions, Depth: 930 mm External dimensions, Height: 250 mm Net weight: 52 kg Certification group: HEG9E1 Cooking surface width: 345 mm Cooking surface depth: 598 mm









